

#### July 2020

This publication was produced for review by the United States Agency for International Development. It was prepared by USAID Global Health Supply Chain Program-Procurement and Supply Management (GHSC-PSM) project, implemented by Chemonics International Inc.

The author's views expressed in this publication do not necessarily reflect the views of the U.S. Agency for International development or the United States Governments.

#### Recommended citation

The Department of Health, Government of Khyber Pakhtunkhwa, Pakistan 2020. First forecasting exercise for the District Priority Medicines, prioritized by Department of Health-Khyber Pakhtunkhwa. USAID Global Health Supply Chain Program-Procurement and Supply Management (GHSC-PSM) project, Task Order 4, for Department of Health Khyber Pakhtunkhwa, Pakistan

This is a living document and will be updated on regular basis as and when required

# **CONTENTS**

ACKNOWLEDGMENTS	v
ACRONYMS	vii
EXECUTIVE SUMMARY	ix
INTRODUCTION	1
BACKGROUND	2
GOALS AND OBJECTIVES	8
METHODOLOGY	9
SECTION-I	12
FORECAST RESULT FOR MEDICINES WITH DATA	12
Forecasted Need for Anaesthetics	12
Forecasted Need for Muscle Relaxants.	
Forecasted Need for Analgesics / Non-Steroidal Anti-Inflammatory Medicines	
Forecasted Need of Antiallergics and Medicines Used in Anaphylaxis	
Forecasted Need for Antidotes and Other Substances Used in Poisoning	
Forecasted Need for Anticonvulsant / Antiepileptic Medicines	
Forecasted Need for Antibiotics/Antimicrobials	
Forecasted Need for Anthelminthic Medicines	
Forecasted Need for Anti-Fungal Medicines	
Forecasted Need for Anti-Tuberculosis Medicines - First line medicines	
Forecasted Need for Anti-Leishmaniasis Medicines	
Forecasted Need for Anti-Deisinfamasis Medicines	
Forecasted Need for Anti-Malarial Medicines	
Forecasted Need for Medicines Acting on Gastrointestinal Tract	
Forecasted Need for Antiviral Medicines	
Forecasted Need for Cardiovascular Medicines	
Forecasted Need for Diuretic Medicines	
Forecasted Need for Medicines Affecting Coagulation	
Forecasted Need for Oxytocic & Antioxytocic Medicines	
· · · · · · · · · · · · · · · · · · ·	
Forecasted Need for Medicines Acting on Respiratory Tract	
Forecasted Need of Medicines for Ear, Nose & Throat	
Forecasted Need for I/V Infusions / Plasma Substitutes	
Forecasted Need for Vitamins & Minerals	
Forecasted Need for Anxiolytics	
Forecasted Need for Dermatological Medicines  Forecasted Need for Medicines for Mental & Behavioral Disorders	
Forecasted Need for Contraceptives	
Forecasted Need for Vaccines & Sera	
Forecasted Need for Antiseptics / Disinfectants	
SECTION-II	
FORECAST RESULT FOR MEDICINES WITH MISSING DATA	
Overall Funding Estimates for District Priority Medicines (2020-25)	
Year-wise Funding Requirement for Different Key Categories of District Priority Medicines	80

Year-wise Funding Requirement for Antibiotics / Antimicrobial Medicines for the Department	of
Health, Charsadda	81
Year-wise Funding Requirement for Anti-Tuberculosis Medicines for the Department of Healt	
Charsadda	82
Year-wise Funding Requirement for Medicines Acting on Gastro-Intestinal Tract for the	
Department of Health, Charsadda	83
Year-wise Funding Requirement for Vaccines and Sera for the Department of Health, Charsad	da
	84
Year-wise Funding Requirement for Anti-Malarial Medicines for the Department of Health,	
Charsadda	85
Adjust for Losses and Programmatic Changes	86
Forecast Limitations	
RECOMMENDATIONS	87
BIBLIOGRAPHY	88
ANNEX-I	
KHYBER PAKHTUNKHWA DISTRICT PRIORITY MEDICINES LIST (FORMULARY)	
ANNEX-II	
LIST OF DISTRICT PRIORITY MEDICINES WHOSE FORECAST COULD NOT BE	)
UNDERTAKEN	95

## **ACKNOWLEDGMENTS**

With the technical support of United States Agency for International Development (USAID), Global Health Supply Chain Program, Procurement and Supply Management (GHSC-PSM) Project, the Department of Health, Government of Khyber Pakhtunkhwa has developed a district-focused forecast for the District Priority Medicines list for the selected five districts of Khyber Pakhtunkhwa.

As per the mandate of USAID, GHSC-PSM project continues to lend its technical expertise to support forecasting and supply planning of health commodities to the Government of Khyber Pakhtunkhwa. This forecast is a result of a close coordination between the Department of Health (DoH) and GHSC-PSM project, hence proving to be a stepping stone towards the capacity building of the human resource of DoH-KP. In addition, it is aimed at the successful transition of all forecasting and supply planning activities to provincial and district governments which can lead towards the achievement of global supply planning benchmarks.

We would like to express our deepest appreciation to all the relevant public-sector stakeholders, development partners, experts and medical professionals for reviewing, contributing, guiding and supporting the forecast of the District Priority Medicines for the selected districts of Khyber Pakhtunkhwa.

We also wish to appreciate Dr. Muhammad Tariq, Country Director, USAID GHSC-PSM project, Pakistan for his leadership role and his dedicated team for their devoted efforts and support provided in the formulation of this report.

Df. Niaz Muhammad

Director General Health Services Government of Khyber Pakhtunkhwa

# **ACRONYMS**

WRA

Women of Reproductive Age

ANCS	Antenatal corticosteroids
ARI	Acute respiratory infection
BHS	Basic Health Services
CHX	Chlorhexidine
DHIS	District Health Information System
DoH	Department of Health
DPM	District Priority Medicines
ECP	Emergency contraceptive pill
EML	Essential Medicines List
EPI	Expanded Program on Immunization
FIGO	Federation of Gynecology and Obstetrics
GDP	Gross domestic product
GHSC-	Global Health Supply Chain Program – Procurement and Supply
PSM	Management
GOP	Government of Pakistan
HDI	Human Development Index
ICM	International Confederation of Midwives
IDs	Infectious diseases
IM	Intramuscular
IV	Intravenous
KPK	Khyber Pakhtunkhwa
MMR	Maternal mortality rate
MNCH	Maternal, neonatal, and child health
MWRA	Married women of reproductive age
NCD	Non-Communicable Diseases
NGO	Non-governmental organization
ORS	Oral rehydration salts
PBS	Pakistan Bureau of Statistics
PDHS	Pakistan Demographic and Health Survey
PE/E	Preeclampsia and eclampsia
PHC	Primary health care center
PPH	Postpartum hemorrhage
PWD	Population Welfare Department
TWG	Technical Working Group
UN	United Nations
UNDP	United Nations Development Program
UNICE	FUnited Nations Children's Fund
USAID	United States Agency for International Development
VEML	Very Essential Medicines List
WHO	World Health Organization
W/D A	W/A

## **EXECUTIVE SUMMARY**

Health care statistics and trends in Pakistan shows that the country continued to face extraordinary burden of both the communicable and non-communicable diseases and the concerned government authorities come up with almost little success in devising a strategy to safeguard population from the infectious diseases and their epidemics. Statistics reveal that the incidences of communicable diseases like tuberculosis, malaria, dengue fever, typhoid, viral hepatitis and a number of other infections caused by bacteria, viruses, fungi and parasites remained on the rise during last few years while a rising trend of non-communicable diseases particularly heart diseases, stroke, diabetes, hypertension and cancer was also recorded. Beyond lack of adequate basic health related services, unavailability of life saving products is also a predominant factor for morbidity and mortality due to infectious and non-infectious diseases. Absence of a structured mechanism for forecasting commodity needs leads to shortages and unavailability of priority products to the last mile.

Chemonics International Inc., through its Global Health Supply Chain Program-Procurement and Supply Management (GHSC-PSM) project, has been engaged extensively with the provincial government of Khyber Pakhtunkhwa (KP) in finalizing and notification of a standardized procurement list of medicines for primary and secondary health care facilities. Based on this district priority medicines list, the first ever long term (five-year) scientific forecast for the districts of Charsadda, Lakki Marwat, Swat, Peshawar and Mohmand has been undertaken. This articulation was done after a series of consultations with relevant government functionaries and stakeholders. The forecast has different variations as different products require indigenous modelling given the scarcity of the data, considering demographics, DHIS reports and district specific logistics data.

Results from the latest Demographic and Health Survey of 2017-18 showed that Pakistan is still a long way from meeting the Sustainable Development Goals (SDG), goal 2 and 3, which relate to reducing the burden in child and maternal deaths, respectively. In this survey, the infant mortality rate (per 1,000 live births) in Pakistan was estimated at 62 and the percentage of births attended by skilled health personnel was 69.3 percent. Immunization rates remain low, especially among rural populations.

To accelerate progress towards meeting the SDG goals, the DoH and partners have developed a number of strategic interventions, especially at the primary health care level. These interventions aim at increasing basic antenatal, newborn, and child care for the most vulnerable populations, with the goal of saving lives by 2025. The key to these interventions is to provide medicines and health commodities. In 2018, GHSC-PSM project conducted first ever indigenous forecasting exercise for the very essential Maternal Neonatal and Child Health (MNCH) commodities for the Departments of Health-Khyber Pakhtunkhwa, Punjab and Balochistan with funding estimates. These forecasting helped the concerned governments to improve the financing of the MNCH products with optimum availability of products at each service delivery point.

In 2009, the Government of Pakistan without any scientific modelling had 4-5 m dollars forecast of family planning (FP) products for the entire country. Similar forecasting helped the government to improve the financing of these FP products but had several limitations. The new forecasting approach is based on scientific modelling and takes into account demographics, as well morbidity data sets, which leads to a more robust and accurate forecast.

This new forecast exercise aims to guide the decision makers in setting up a national system for regular updates to the forecasts and introduce supply planning processes for District Priority Medicines. Furthermore, this activity will ensure adequate financing and optimize a data-driven procurement system, minimize stock outs and/or losses through expiry or by over stocking. With this forecasting, we anticipate that the Government of Khyber Pakhtunkhwa will exponentially increase its financing for these priority products.

<sup>&</sup>lt;sup>1</sup> PDHS - 2017-18 Key indicator Report Aug 2018

Using the logistics data acquired from the district store of DoH, Charsadda, the Chemonics International carried out a logistics or consumption-based forecast. This report includes the findings from the forecast, as well as the funding requirement analysis that can be used for advocacy with key stakeholders to increase the level of funding and eventual availability of commodities for Basic Health Services (BHS) including infectious diseases (IDs) in KP. The priority medicines needed for a comprehensive Basic Health Services program were quantified by categories / commodity groups. These groups were parenteral, antibiotics, anesthetics, antidotes, antituberculosis, antidiabetic, hypertensive, dermatological commodities etc.

The funding requirements for the prioritized District Priority Medicines were estimated based on distribution data, DHIS reports, MCC list reviews and consultative meeting with provincial technical groups. The project designed a framework for indigenous modeling forecast of priority products and recommend a financing of approximately PKR ~258 million for the District Priority Medicines, over the 2021-25 forecast period.

Moving forward, it is recommended that the results of this forecast and annual funding requirements should be used by the DoH and partners to source their funding. Concurrently, a supply plan that takes into account existing stock levels, as well as commodities that may already be on order needs to be developed to inform the procurement of these commodities. Lastly, a forum for all stakeholders needs to be created to meet regularly and chart a way forward toward creating Basic Health Services commodity security.

#### INTRODUCTION

In September 2019, the Department of Health, Khyber Pakhtunkhwa (KP) notified a standardized procurement list of medicines for Primary and Secondary Health Care Facilities. This list contains 123 molecule containing products related to Basic Health Services and Infectious diseases. The accessibility and availability of these priority medicines at district level, across the primary and secondary health care facilities, will be pivotal to the provision of basic health services including prevention and management of infectious diseases.

The DoH KP requested the GHSC-PSM project, Pakistan, implemented by Chemonics International Inc., to address supply chain management issues related to provision of basic health services including control and management of infectious diseases, helping the Government of KP and other key provincial and district stakeholders to improve the security of district priority medicines in the province, strengthen the distribution and management information systems in place, and build local capacity to strengthen the health systems. As part of this effort, GHSC-PSM project has been working with relevant DoH, KP to improve forecasting and supply planning of district priority medicines.

Furthering the effort, the GHSC-PSM is providing technical assistance to the health department, KP in developing a five-year district level costed forecast of approved medicine lists for the districts of Charsadda, Lakki Marwat, Swat, Peshawar and Mohmand. This multi-year scientific quantification and financing needs of each district is expected to improve public sector financing. The scientific forecasting and costing of district priority medicines was carried out in close coordination with DoH KP and the health authorities of prioritized districts. The forecast modeling exercise for the priority medicines focused on developing institutional and district level FASP capacity; strengthening provincial and district supply chains; and improving data quality and availability. One of the supply chain areas for these priority medicines that was identified as particularly weak was forecasting and supply planning. For several of these medicines, the data required to estimate need accurately are unavailable and forecasts are based on unsubstantiated assumptions and often on data from past procurements and distribution and/or issuance information.

## **BACKGROUND**

Khyber Pakhtunkhwa is located in the northwestern region of Pakistan. KP is Pakistan's smallest province by area with a land mass of 101,741 km², with an estimated population of 30,523,371 as of 2017. Among those, an estimated 83.1% live in rural areas. The population growth rate is 2.89% per annum (PBS) while it accounts for 10% of Pakistan's GDP.

According to 2017 Population Census of Pakistan, KP has the third highest share of 17.69 percent in population pie and its share has increased as compared to 1998. The share of urban population in KP in 2017 remained almost unchanged as compared to 1998 i.e. 83.2%. (PBS)

According to PDHS 2017-18, in the 5-year period preceding the survey, neonatal mortality was 42 deaths per 1,000 live births, infant mortality was 62 deaths per 1,000 live births, and under-5 mortality was 74 deaths per 1,000 live births. These rates imply that nearly one in 16 children die before reaching their first birthday and one in 14 die before reaching their fifth birthday.

PDHS 2017-18 reflects that Pakistan has shown improvement on infant and child mortality rates. Under-5 mortality has declined from 112 deaths per 1,000 live births in 1990-91 to 74 deaths in 2017-18 -- a 34% decrease over the last 3 decades. Infant mortality declined from 86 to 62 deaths per 1,000 live births. The neonatal mortality that stagnated at roughly 55 deaths per 1,000 live births for a decade has declined to 42 deaths per 1,000 live births in the most recent 5-year period.

Childhood mortality rates are higher in rural areas than in urban areas by 10 deaths per 1,000 live births. Neonatal, infant, and under-5 mortality rates are 45, 68, and 83 deaths per 1,000 live births, respectively, in rural areas, as compared with 37, 50, and 56 deaths per 1,000 live births in urban areas. (PDHS 2017-18) Deaths of newborns are mainly due to prematurity, asphyxia, and infections. Most of these deaths could have been prevented if newborns had adequate access to resuscitation devices, appropriate umbilical cord care, and timely treatment for sepsis. Substantial presence of acute respiratory infections and diarrhea also contribute to the elevated mortality rates for children.

The current estimated maternal mortality ratio (MMR) is 178 per 100,000 live births (WHO 2015), one of the highest rates in the world. One of the many factors that contribute to maternal mortality is the inadequate use of health services. 2017-18 Demographic Survey data show that in Pakistan, 66% of the births in the 5 years preceding the survey were delivered in a health facility. Forty-four percent of deliveries took place in private facilities, and only 22% took place in government facilities. There has been great improvement over time in the percentage of deliveries at health facilities; institutional deliveries increased from 13% to 66% between 1990-91 and 2017-18. In the last 5 years, the proportion has increased by 18 percentage points from 48% to 66%. Most of the women die at the time of the birth because of postpartum hemorrhage, eclampsia and other indirect obstetric causes.

As the challenges cited above have demonstrated, strengthening the planning, procurement, and information management of MNCH life-saving commodities is critical to the survival and quality of care for millions of women and children in Pakistan. The country has made commendable progress in the prevention and control of pneumonia and diarrhea-related complications despite many challenges and now must strive to build on that progress and reinvigorate efforts to address other causes of maternal and child mortality. To this end, it is essential that life-saving commodities be available when and where they are needed.

Pakistan is faced with a huge quadruple disease burden.<sup>34</sup> Infectious diseases are rampant and diseases such as tuberculosis and malaria, among others, are a major public health challenge for all stakeholders, including policymakers and healthcare providers.<sup>35</sup> Noncommunicable diseases are increasing rapidly due to unhealthy lifestyle, rapid urbanization, and breakup of the traditional joint-family system that puts additional pressure

on individuals. Diabetes, hypertension, coronary artery disease, and malignancies are on the rise.<sup>36</sup> Mental health is compromised and mental diseases are on the rise.<sup>37</sup> With the rapid advances in transportation, road traffic accidents are contributing substantially to overall disease burden.<sup>38</sup> Pakistan is currently facing the double burden of communicable (38%) and non- communicable diseases (49%) according to WHO NCD Country Profiles 2014. About 50% of all deaths are attributed to NCD's. The WHO country profile (2014) shows that in Pakistan 25.3% individuals had high BP,19% had CVD diseases, 3% had diabetes, 6% had chronic respiratory diseases, 8% had cancers, 23% were tobacco smokers and 0.1% were alcohol consumers.

Forecasting and supply planning (FASP) is the foundation for all other functions further down the supply chain as over estimation or underestimation of commodities can have serious implications on health delivery systems. It is a highly scientific and complex process, wherein numerous factors must be considered including demographics, morbidity rates, service data sets, and logistics data and requires a specialized skill set. Currently, FASP for a complete range of District Priority Medicines (DPMs) as per approved medicines list for health department is being undertaken with technical assistance from the GHSC-PSM project on the basis of logistics, demographic and morbidity indicators and enhancement in service delivery. Availability of qualified and experienced human resources, structures, and tools remains a challenge for improved accuracy and timeliness of forecasting and supply planning for all medicines and supplies. Due to gaps identified in FASP projections, serious anomalies persist in district demand. Health department realize the need for having a structured mechanism for accurate FASP with dedicated trained staff as part of the Integrated Supply Chain Management and Coordination Cell at DoH.

Three data sets: logistics, services, and morbidity will be considered for forecasting and quantification of priority commodities depending upon availability of data and its quality. Knowledge and information of health departments' programmatic strategies will be important for accurate forecast and quantification of district priority commodities. This needs to be ensured through document review and consultations with key stakeholders and / or focal points within the department. A forecasting exercise for DPMs List will be done for five years and reviewed annually for adjustments, as per recommended model (Figure 1).

#### Current landscape:

Forecasting and supply planning (FASP) is the foundation for all other functions further down the supply chain as over estimation or underestimation of commodities can have serious implications on health delivery systems. It is a highly scientific and complex process, wherein numerous factors must be considered including demographics, morbidity rates, service data sets, and logistics data and requires a specialized skill set. Currently, FASP for a complete range of DPMs as per the approved Medicines List for district level service delivery is being undertaken with technical assistance from the GHSC-PSM project on the basis of logistics, demographic and morbidity indicators and enhancement in service delivery. Availability of qualified and experienced human resources, structures, and tools remains a challenge for improved accuracy and timeliness of forecasting and supply planning for all medicines and supplies. Due to gaps identified in FASP projections, serious anomalies persist in district demand. Health department realize the need for having a structured mechanism for accurate FASP with dedicated trained staff as part of the Integrated Supply Chain Management and Coordination Cell at DoH.

#### **FASP Roadmap**

The objective of this roadmap is to establish a fully functional and structured FASP mechanism at district level that systematically determines district specific priority medicines requirements, estimates their financial costs, and coordinates fulfillment of projected needs to support the continuous availability of commodities.

#### Priority areas for improvement

- Reliable and quality data sets (demographic, disease prevalence/morbidity, and logistics) for accurate forecasting
- Dedicated resources (financial & trained HR) for FASP
- Institutionalization of FASP through capacity building of the district departments on accurate and timely forecasting and quantification of DPMs and identification of champions to form technical working groups under the ISCM&CC. As FP supply chain has higher maturity than district priority medicines with respect to procurement planning and monitoring functions, it is expected that, modelling FASP for DPMs supply chain will help in attaining departmental capacity within 2-3 years.
- Three data sets: logistics, services, and morbidity will be considered for forecasting and quantification of district commodities depending upon availability of data and its quality. Knowledge and information of health departments' programmatic strategies will be important for accurate forecast and quantification of district commodities. This needs to be ensured through document review and consultations with key stakeholders and / or focal points within the district health department.
- A forecasting exercise for DPMs will be done for five years and reviewed annually for adjustments, as per recommended model (Figure 1).




Figure 1: FASP Model for District Priority Medicines

#### Implementation plan:

The district health and population welfare departments of the Provincial Governments will carry out following activities to achieve articulated objectives.

- Formation of Forecasting & Quantification Technical Working Group (TWG) at District Level Both health and population welfare departments will establish and notify a forecasting and quantification TWG at the district level. The TWG will systematically determine district commodities requirements, estimate their financial costs, and coordinate fulfillment of projected needs to support the continuous availability of commodities. The TWG will also analyze quantification figures related to priority commodities security issues and improve district capacity to perform this task independently. Improved inter-departmental coordination will facilitate consensus building on scope and assumptions for forecasting and quantification. It will also minimize duplication of efforts and wastage of resources.
- Create Professionalized and Trained Human Resources at the District Level

  At the provincial level, the capacity of the Procurement and FASP unit of the ISCM&CC will be trained in forecasting and quantification of DPMs. Pre-and in-service training courses will be organized / arranged that will contribute and ultimately lead to building of institutional capacity on forecasting and quantification at the district level, within the provincial government.
- Automation of Forecasting and Quantification Function into Integrated Web-based MIS

  To reduce the likelihood of computational inaccuracies, forecasting and supply planning functions will
  be automated incrementally and made part of the integrated supply chain management information
  system. The province will design an EML forecasting and supply planning module in the web-based
  integrated MIS and will train users on the module. Thus, forecasting and supply planning will be
  graduated from manual to automated computation. The automation will help in timely and accurate
  forecasting and supply planning, which will, in turn, assist in procurement and commodity security.

#### RATIONALE FOR UNDERTAKING THIS EXERCISE

In Khyber Pakhtunkhwa, Department of Health procures medicines and other commodities through Medicines Coordination Cell (MCC), a provincial level procurement body, for primary and secondary healthcare facilities using rate contract mechanism. Districts have the provision to procure medicines as per approved MCC list through local purchase from approved firms.




Figure 2: Khyber Pakhtunkhwa district commodities procurement structure

Although districts are generating demand / indent / requisition for district commodities but the data is not utilized for forecasting purposes. This is mainly due to two reasons; 1) non-existence of formal forecasting and quantification mechanism and 2) quota/target-based procurement. Most of the healthcare centres in KP lack sufficient stocks of priority medicines owing to the untimely release and inadequate allocation of funds. Around 760 Basic Health Units (BHUs) and 96 Rural Health Centers (RHCs) across the province offer healthcare services to the people. However, stocks of priority medicine continue to lag at 60 per cent.<sup>2</sup>

The provincial government had sought to improve service delivery in primary health care facilities, allocating additional resources and developing a robust independent monitoring system to take immediate remedial actions. To ensure adequate stocks of medicines in primary health care facilities, the health department took a number of steps such as negotiating a central contracting rate for medicines periodically, a move which proved to be cost effective. Moreover, the health department hired logistics officers in each district to manage affairs at the district level and to ensure that the procurement process is completed in time. However, even if the government allocates sufficient budget, the untimely release of these funds could still hamper the utilization of the budget to purchase medicines for facilities. If the district government releases the medicine budget timely as a single tranche to district health department, districts can then place orders on time and ensure the timely utilization of the medicine budget. Meanwhile, health experts have stated that since all 1,600 health facilities across the province had sufficient doctors, nurses, paramedics and technicians, medicines in sufficient quantity should be supplied to these centres on a priority basis.

The Department of Health, Government of Khyber Pakhtunkhwa has documented the limited capacity within its structure to conduct the forecast for the health commodities. This lack of capacity has compelled the provincial and district health department to rely on the use of past distribution data and estimates of patient flows at facilities to calculate the need for commodities at primary and secondary health care facilities. The respective officials develop medicine requirements that are not scientifically appropriate to meet the current needs, thus making it difficult to maintain appropriate inventory to meet the needs of patients and clients in the district. This current practice sometimes yields stock imbalances, stock- outs of some important medicines, and a preponderance of emergency orders, which in the end have been threatening the integrity of the health service delivery. However, with the technical Assistance

<sup>&</sup>lt;sup>2</sup> https://tribune.com.pk/email/1430834/k-p-health-centres-lack-sufficient-medicine-stocks

of GHSC-PSM project, the district department of health has established mechanism to undertake the forecasting exercise of DPMs. This approach helps to improve the forecasting and supply planning functions.

The need for a comprehensive, harmonized and coordinated forecasting exercise (first of its kind) in the DoH is heightened by a number of factors including:

- The lack of a formalized district coordinated system mechanism for forecasting and supply planning of district priority commodities.
- The need to identify the current funding gap for the needed commodities to ensure efficient allocation of financial resources by the DoH, Government of Khyber Pakhtunkhwa.

This activity is aimed at developing a long term (five-year) district forecasting collaboration with the district health authority, which will better inform procurement decisions for the priority commodities. The exercise will also help DoH to populate a framework for computing the requirements for the DPMs during the plan period and be able to take future procurement actions. Basically, the goal of this forecasting exercise is to optimize a data-driven procurement system and minimize losses through expiry by over stocking. The report will essentially guide the decision makers in setting up a district system for regular updates of the forecasts and introduce supply planning process for district commodities.

# **GOALS AND OBJECTIVES**

#### Goal

Determine the district needs for prioritized District Medicines.

## **Objectives**

- 1. Prepare the district forecast for the district priority medicines for the period 2020-25
- 2. Discuss data sources and data gaps to support regular forecasting and supply planning, and ways to address those gaps
- 3. Develop recommendations for institutionalization of a formal forecasting and pipeline monitoring system within Department of Health, Khyber Pakhtunkhwa which is capable of conducting updates on the forecast and supply plan

#### **METHODOLOGY**

The GHSC-PSM project worked in close coordination with the Department of Health, Khyber Pakhtunkhwa to develop the forecast. Initially, the scope, purpose and period of the forecast was defined. Afterwards, GHSC-PSM project collected and reviewed existing documents to define assumptions and make adjustments based on recent logistics data. GHSC-PSM project then developed the algorithms of the forecasting process for each commodity. Furthermore, they were reviewed by key stakeholders. The steps of the process are detailed below.

## Scope:

The forecast was meant to cover the notified priority commodities for primary and secondary health care facilities (Annex 1) prioritized by the Department of Health, Khyber Pakhtunkhwa and the estimated requirements of these commodities for health services provided at public health facilities in the district. The estimates included requirements for district and sub-district levels of health care system. The agreed upon timeframe is 2020-21—2024-25. However, through discussions with the department / program and upon review of existing data, forecasting was done for the priority commodities.

## **Forecasting Options**

Estimates of commodity needs for multi-year planning are based on logistics data and linked to defined Provincial Health strategies and plans. Three methods of estimating commodity needs are commonly used:

- o Estimates based on anticipated need in a target population based on demographic and morbidity data (more appropriate at the national and provincial levels);
- Estimates based on previous consumption of a commodity (more appropriate at the provincial and district level);
- Estimates based on the service delivery statistics (more appropriate at the service delivery level).

Whichever method is used, the accuracy of the estimate depends on the availability and quality of data used, as well as the forecasting team's knowledge of the specific conditions of the program. Due to the absence of reliable consumption and services data for the commodities mentioned in Annex 1, logistic method is used for this forecasting.

Four basic sets of data are required for forecasting the commodity requirements:

- 1. Medicine lists with packaging and price data
- 2. Budgets in operational plans/procurement plans
- 3. Logistics data from District Stock Register
- 4. District Priority Medicines Formulary List.

The basic formula used in the logistics method is:

AMC	=	Opening Balance	+	Quantity Received	ı	Closing Balance	·ŀ·	Six Month Period
-----	---	--------------------	---	----------------------	---	-----------------	-----	------------------------

In order to calculate Average Monthly Consumption (AMC) of a medicine, the first element in the formula requires quantities available in store on the first day (opening balance) of the six months period, followed by quantity received during this period. The third element is the quantities available on last day (closing balance) of six-month period. The sum of first two will be subtracted from the

third element or vice versa. The outcome will be divided by six to get the average monthly consumption.

#### **Data Collection and Document Review**

As part of the forecasting exercise, we considered factors such as the estimated current need and provincial program strategies. This forecast is based on various assumptions regarding district commodity needs. The process included a review of provincial policy and technical documents; we familiarized ourselves with the stock registers data, recommended treatment guidelines and previous activities that could impact the forecasting. In addition, we reviewed policy documents to assess information provided on other major policy decisions that may affect the health department. Several of these documents are listed in bibliography and some are listed below, as well:

- Pakistan Demographic and Health Survey (2012-13)
- Pakistan Demographic and Health Survey (2017-18)
- Minimum Heath Service Delivery Package for Primary & Secondary Health Facilities
- MCC List 2019-20.

#### **Data Analysis**

We used basic Excel to forecast the requirements for the district priority medicines. The AMC for each commodity was determined which will help to analyze, plan, and advocate for improved programming. Excel facilitates the process of determining the quantities of medicines that are required for any health facility. For each medicine, we used opening balance, receipts and closing balance obtained from relevant stock registers to determine the estimated quantities required for one year. We then entered information on all medicines and added the total requirement and costs by the categories. The specific forecast methodology, key assumptions, and forecast results for each commodity category are included in the corresponding subsections presented in the quantification results.

### Essential Medicines List and District Priority Formulary of Medicines

Essential medicines are those that are deemed to satisfy the health care needs of the majority of the population and that should be available in the appropriate dosage forms and strengths at all times. The rationale for selecting a limited number of essential medicines is that it may lead to better supply, more rational use, and lower costs. Because selection of medicines has a considerable impact on quality of care and cost of treatment, it is one of the most cost-effective areas for intervention.

A list of essential medicines may be selected for use in one or more level of health facilities or for the public sector as a whole. In the latter case, the list usually indicates the level of the health care system where each medicine may be used. It can also be considered a supply list. A formulary system is part of the medicine selection process. The system includes a formulary list, which is ideally based on an essential medicines list.

A formulary list (Annex-I) is a list of pharmaceutical products approved for use in a specific health care setting. It may be a national formulary list, a provincial list, a hospital list, or a list indicating products for use and availability at primary and secondary level care health facilities of a district. In the public sector, the formulary list is synonymous with essential medicines list. Annex-II is a list of pharmaceutical products whose forecast could not be undertaken due to non-availability of required data due to various reasons. The list will be reviewed by district health authorities for finalization during consultative meeting.

#### Steps Used in Forecasting

The following steps were used to forecast the need for each commodity:

- 1. Opening balance or quantity on 1st July 2019
- 2. Quantity Received during the period July to December, 2019
- 3. Closing balance or quantity on 31st December, 2019
- 4. Expected projected changes in consumption (potential losses or scale-up in use)

#### Consultative Meeting with Stakeholders

After completing the draft forecast, we will conduct consultative technical sessions with the district health representatives. The objectives of the consultative meeting will be to:

- Present and jointly review draft forecast.
- Review and validate the available data and methodologies.
- Discuss data sources and data gaps to support regular forecasting and supply planning, and ways to address gaps.
- Reach consensus and agree upon assumptions, data, methodology, and current forecast findings.

# **SECTION-I**

#### FORECAST RESULT FOR MEDICINES WITH DATA

#### Forecasted Need for Anaesthetics

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains two general anaesthetics and three local anaesthetics drugs under the anesthetic's category, as shown in table below;

#	Generic Drug Name	Form	Strength	Category
1	Isoflurane	inhalation		Anaesthetics General
2	Propofol	Injection	10 mg / ml in 20 ml	Anaesthetics General
3	Bupivacaine (hydrochloride)	Injection	0.50%	Anaesthetics Local
4	Lignocaine (hydrochloride)	injection	2% in 10ml	Anaesthetics Local
4	Ligitocame (mydrocinonde)	topical gel	2% w/w	Anaesthetics Local

General anaesthetics are generally meant for secondary level health care facilities including DHQ and THQ hospitals and certain Rural Health Centres, where surgical services are offered. Local anesthetics are provided and used at all primary and secondary level health care facilities.

The following input data is used to estimate the yearly requirements of anaesthetics for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

### District Store Data Needed to Forecast Anaesthetics

- Opening balance or quantity on 1<sup>st</sup> July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of anaesthetics is based on Monthly Consumption.

To calculate the Average Monthly Consumption (AMC), following formula is used;

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC	= Opening Balance	+ Quantity Received	- Closing Balance	÷	Six Month Period
-----	----------------------	------------------------	-------------------	---	------------------------

Using the above methodology and formula, the estimated yearly requirements of anaesthetics is calculated and reflected in table below:

Table 1. Forecasted Yearly Estimations

	Generic Drug			Forecasted Yearly Requirement				
	Name	Unit	AMC	2020-21	2021-22	2022-23	2023-24	2024-25
1	Isoflurane	injection	11	147	162	178	196	216
2	Propofol	injection	105	1,386	1,525	1,677	1,845	2,029
3	Bupivacaine (hydrochloride)	injection	33	440	484	532	586	644
	4 Lignocaine	injection	403	5,324	5,856	6,442	7,086	7,795
4 (hydrochloride)	topical gel	8	110	121	133	146	161	

The associated summary outputs for anaesthetics are shown in Table 1. By applying the different attributes and assumptions the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

#### Forecasted Need for Muscle Relaxants

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains three drugs under the muscle relaxants category, as shown in table below;

#	Generic Drug Name	Form	Strength	Category
1	Atracurium (besylate)	injection	30 mg/ml in 3ml; 5ml	Muscle Relaxants
2	Glycopyrrolate	injection	0.2mg /ml in 1ml (for anesthesia only)	Muscle Relaxants
3	Neostigmine (metilsulphate)	injection	2.5 mg in 1ml	Muscle Relaxants

Muscle relaxants are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of muscle relaxants for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

#### District Store Data Needed to Forecast Muscle Relaxants

- Opening balance or quantity on 1st July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of muscle relaxants is based on Monthly Consumption.

To calculate the Average Monthly Consumption (AMC), following formula is used;

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC	=	Opening Balance	+	Quantity Received	-	Closing Balance	÷	Six Month Period
-----	---	--------------------	---	----------------------	---	-----------------	---	------------------------

Using the above methodology and formula, the estimated yearly requirements of muscle relaxants is calculated and reflected in table below:

Table 2. Forecasted Yearly Estimations

	Generic Drug			Forecasted Yearly Requirements					
# Name	Unit	AMC	2020-21	2021-22	2022-23	2023-24	2024-25		
1	Atracurium (besylate)	injection	132	1,738	1,912	2,103	2,313	2,545	
2	Glycopyrrolate	injection	83	1,100	1,210	1,331	1,464	1,611	
3	Neostigmine (metilsulphate)	injection	200	2,640	2,904	3,194	3,514	3,865	

The associated summary outputs for muscle relaxants are shown in Table 2. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

# Forecasted Need for Analgesics / Non-Steroidal Anti-Inflammatory Medicines

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains three drugs under the analgesics / non-steroidal anti-inflammatory medicines category, as shown in table below;

#	Generic Drug Name	Form	Strength	Category
1	Tramadol	Injection	50 mg / ml	Analgesics Opioid & Centrally Acting
2	2 Apotylosliavlia acid	dispersible tablets	300 mg	Analgesics / Non-Steroidal Anti- Inflammatory Medicines
2 Acetylsalicy	Acetylsalicylic acid	dispersible tablets	75mg	Analgesics / Non-Steroidal Anti- Inflammatory Medicines
1 D:	Dislofonos (codium)	tablets	50 mg	Analgesics / Non-Steroidal Anti- Inflammatory Medicines
3	Diclofenac (sodium)	ampoule	75 mg in 3ml	Analgesics / Non-Steroidal Anti- Inflammatory Medicines
		tablets	500 mg	Analgesics / Non-Steroidal Anti- Inflammatory Medicines
4	Deve and the second	syrup	120 mg / 5ml	Analgesics / Non-Steroidal Anti- Inflammatory Medicines
4	Paracetamol	suppository	100 mg	Analgesics / Non-Steroidal Anti- Inflammatory Medicines
		Infusion	10mg/ml	Analgesics / Non-Steroidal Anti- Inflammatory Medicines

Analgesics / non-steroidal anti-inflammatory medicines are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of analgesics / non-steroidal antiinflammatory medicines for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

## District Store Data Needed to Forecast Analgesics / Non-Steroidal Anti-Inflammatory Medicines

- Opening balance or quantity on 1<sup>st</sup> July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of analgesics / non-steroidal anti-inflammatory medicines is based on Monthly Consumption.

To calculate the Average Monthly Consumption (AMC), following formula is used;

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC	= Opening Balance	AMC	+	Quantity Received	-	Closing Balance	÷	Six Month Period	
-----	----------------------	-----	---	----------------------	---	-----------------	---	------------------------	--

Using the above methodology and formula, the estimated yearly requirements of analgesics / non-steroidal anti-inflammatory medicines is calculated and reflected in table below:

Table 3. Forecasted Yearly Estimations

	Generic Drug		13.50	Fe	orecasted	Yearly Re	quirement	ts
#	Name	Unit	AMC	2020-21	2021-22	2022-23	2023-24	2024-25
1	Tramadol	Injection 50 mg / ml	Data N/A	0	0	0	0	0
2	Acetylsalicylic	dispersible tablets 300mg	27,383	361,460	397,606	437,367	481,103	529,214
<i>Z</i>	acid	dispersible tablets 75 mg	635	8,382	9,220	10,142	11,156	12,272
3	Diclofenac	Tablets	4,667	61,600	67,760	74,536	81,990	90,189
3	(sodium)	Ampoule	7,400	97,680	107,448	118,193	130,012	143,013
		Tablets	32,703	431,680	474,848	522,332	574,566	632,022
4	4 1	Syrup	2,133	28,160	30,976	34,074	37,481	41,229
4	Paracetamol	suppository	Data N/A	0	0	0	0	0
		Infusion	Data N/A	0	0	0	0	0

The associated summary outputs for analgesics / non-steroidal anti-inflammatory medicines are shown in Table 3. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

# Forecasted Need of Antiallergics and Medicines Used in Anaphylaxis

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains four drugs under the category of Antiallergics and Medicines used in Anaphylaxis, as shown in table below;

#	Generic Drug Name	Form	Strength	Category
1	Chlorpheniramine (hydrogen maleate)	injection	22.7mg	Antiallergics and Medicines Used in Anaphylaxis
2	Dexamethasone (disodium phosphate)	injection	4 mg / ml	Antiallergics and Medicines Used in Anaphylaxis
3	Epinephrine (adrenaline)	ampoule	1 mg/ml	Antiallergics and Medicines Used in Anaphylaxis
4	Hydrocortisone (sodium	injection	100 mg	Antiallergics and Medicines Used in Anaphylaxis
4	succinate)	injection	250 mg	Antiallergics and Medicines Used in Anaphylaxis

Antiallergics and Medicines used in Anaphylaxis are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Antiallergics and Medicines used in Anaphylaxis for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

#### District Store Data Needed to Forecast Antiallergics and Medicines used in Anaphylaxis

- Opening balance or quantity on 1st July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Antiallergics and Medicines used in Anaphylaxis is based on Monthly Consumption.

To calculate the Average Monthly Consumption (AMC), following formula is used;

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC	=	Opening Balance	+	Quantity Received	-	Closing Balance	÷	Six Month Period
-----	---	--------------------	---	----------------------	---	-----------------	---	------------------------

Using the above methodology and formula, the estimated yearly requirements of Antiallergics and Medicines used in Anaphylaxis is calculated and reflected in table 4 below:

Table 4. Forecasted Yearly Estimations

.,		**	1250	Forecasted Yearly Requirements					
#	Generic Drug Name	Unit	AMC	2020-21	2021-22	2022-23	2023-24	2024-25	
1	Chlorpheniramine (hydrogen maleate)	injection	833	11,000	12,100	13,310	14,641	16,105	
2	Dexamethasone (disodium phosphate)	injection	Data N/A	0	0	0	0	0	
3	Epinephrine (adrenaline)	ampoule	Data N/A	0	0	0	0	0	
4	4 Hydrocortisone (sodium succinate)	Injection 100 mg	233	3,080	3,388	3,727	4,099	4,509	
4		Injection 250 mg	200	2,640	2,904	3,194	3,514	3,865	

The associated summary outputs for Antiallergics and Medicines used in Anaphylaxis are shown in Table 4. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

# Forecasted Need for Antidotes and Other Substances Used in Poisoning

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains three drugs under the category of Antidotes and Other Substances used in Poisoning, as shown in table below;

#	Generic Drug Name Form		Strength	Category		
1	Atropine (sulphate)	ampoule I I mount Iml		Antidotes and Other Substances Used in Poisoning		
2	Charcoal activated	powder		Antidotes and Other Substances Used in Poisoning		
3	Naloxone (hydrochloride)	ampoule	400 mcg in 1ml	Antidotes and Other Substances Used in Poisoning		

Antidotes and Other Substances used in Poisoning are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Antidotes and Other Substances used in Poisoning for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

#### District Store Data Needed to Forecast Antidotes and Other Substances Used in Poisoning

- Opening balance or quantity on 1st July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Antidotes and Other Substances Used in Poisoning is based on Monthly Consumption.

To calculate the Average Monthly Consumption (AMC), following formula is used;

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC	=	Opening Balance	+	Quantity Received	-	Closing Balance	÷	Six Month Period
-----	---	--------------------	---	----------------------	---	-----------------	---	------------------------

Using the above methodology and formula, the estimated yearly requirements of Antidotes and Other Substances Used in Poisoning is calculated and reflected in table below:

Table 5. Forecasted Yearly Estimations

					Forecasted	Yearly Requirements		
#	Generic Drug Name	Unit	AMC	2020-21	2021-22	2022-23	2023-24	2024-25
1	Atropine (sulphate)	Ampoule	29	385	424	466	512	564
2	Charcoal activated	powder	Data N/A	0	0	0	0	0
3	Naloxone (hydrochloride)	ampoule	Data N/A	0	0	0	0	0

The associated summary outputs for Antidotes and Other Substances used in Poisoning are shown in Table 5. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

# Forecasted Need for Anticonvulsant / Antiepileptic Medicines

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains one drug under the category of Anticonvulsant / Antiepileptic Medicines, as shown in table below;

#	Generic Drug Name	Form	Strength	Category
1	Carbamarranina	tablets	200 mg	Anticonvulsant / Antiepileptic Medicines
1	Carbamazepine	syrup	100mg / 5ml	Anticonvulsant / Antiepileptic Medicines
2	Magnesium Sulphate (For eclampsia only)	injection	500mg /ml	Anticonvulsant / Antiepileptic Medicines

Anticonvulsant / Antiepileptic Medicines are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Anticonvulsant / Antiepileptic Medicines for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

#### District Store Data Needed to Forecast Anticonvulsant / Antiepileptic Medicines

- Opening balance or quantity on 1st July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Anticonvulsant / Antiepileptic Medicines is based on Monthly Consumption.

To calculate the Average Monthly Consumption (AMC), following formula is used;

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC =
-------

Using the above methodology and formula, the estimated yearly requirements of Anticonvulsant / Antiepileptic Medicines is calculated and reflected in table 6 below:

### Table 6. Forecasted Yearly Estimations

			AMC	Forecasted Yearly Requirements					
#	Generic Drug Name	ig Name Unit		2020-21	2021-22	2022-23	2023-24	2024-25	
1	Corbomononias	tablets	253	3,344	3,678	4,046	4,451	4,896	
1	Carbamazepine	syrup	Data N/A	0	0	0	0	0	
2	Magnesium Sulphate (For eclampsia only)	injection	0	0	0	0	0	0	

The associated summary outputs for Anticonvulsant / Antiepileptic Medicines are shown in Table 6. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

# Forecasted Need for Antibiotics/Antimicrobials

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains eight drugs under the category of Antibiotics/Antimicrobials, which have been further classified into - Key Access and Watch Group Antibiotics, as shown in the table below;

#	Generic Drug Name	Form	Strength	Category
		Tablets	625 mg	Antibiotics/Antimicrobials - Key Access Antibiotics
1	Amoxicillin + Clavulanic acid	Syrup	125 mg amoxicillin + 312.5 mg clavulanic acid /5 ml	Antibiotics/Antimicrobials - Key Access Antibiotics
		Tablets	1 Gm	Antibiotics/Antimicrobials - Key Access Antibiotics
2	Doxycycline	Capsule	100 mg	Antibiotics/Antimicrobials - Key Access Antibiotics
		Tablets	400 mg	Antibiotics/Antimicrobials - Key Access Antibiotics
3	Metronidazole	Injection	500 mg in 100-ml	Antibiotics/Antimicrobials - Key Access Antibiotics
		Syrup	200 mg / 5ml (benzoate)	Antibiotics/Antimicrobials - Key Access Antibiotics
4	Azithromycin	Capsule	250 mg	Antibiotics/Antimicrobials - Watch Group Antibiotics
	,	Suspension	125mg / 5ml in 22.5ml	Antibiotics/Antimicrobials - Watch Group Antibiotics
5	Cefixime (trihydrate)	Capsule	400 mg	Antibiotics/Antimicrobials - Watch Group Antibiotics
		suspension	200mg /5ml	Antibiotics/Antimicrobials - Watch Group Antibiotics
6	Ceftriaxone (sodium)	powder for injection	500 mg, 1gm	Antibiotics/Antimicrobials - Watch Group Antibiotics
7	Cefoperazone + Salbactum	injection	1gm	Antibiotics/Antimicrobials - Watch Group Antibiotics
		tablet	500mg	Antibiotics/Antimicrobials - Watch Group Antibiotics
8	Ciprofloxacin	syrup	100mg/5ml	Antibiotics/Antimicrobials - Watch Group Antibiotics
		infusion	200mg/100ml	Antibiotics/Antimicrobials - Watch Group Antibiotics

Antibiotics/Antimicrobials are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Antibiotics/Antimicrobials for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

## District Store Data Needed to Forecast Antibiotics / Antimicrobials

- Opening balance or quantity on 1st July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Antibiotics/Antimicrobials is based on Monthly Consumption.

To calculate the Average Monthly Consumption (AMC), following formula is used;

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC	= Opening Balance	+ Quantity Received	- Closing Balance	÷	Six Month Period
-----	----------------------	------------------------	-------------------	---	------------------------

Using the above methodology and formula, the estimated yearly requirements of Antibiotics/Antimicrobials is calculated and reflected in table below:

Table 7. Forecasted Yearly Estimations

.,	Generic	** •	13.60		Forecasted	Yearly Req	uirements	
#	Drug Name	Unit	AMC	2020-21	2021-22	2022-23	2023-24	2024-25
	A ma aveigilling 1	Tablets	6,231	82,254	90,479	99,527	109,480	120,427
1	GILL Y GILLIE	Syrup	1,007	13,288	14,617	16,078	17,686	19,455
	acid	Tablets	6,808	89,870	98,857	108,743	119,617	131,579
2	Doxycycline	Capsule	12,900	170,280	187,308	206,039	226,643	249,307
		Tablets	71,100	938,520	1,032,372	1,135,609	1,249,170	1,374,087
3	Metronidazole	Injection	1,012	13,354	14,689	16,158	17,774	19,552
		Syrup	1,595	21,054	23,159	25,475	28,023	30,825
4	Azithromycin	Capsule	4,711	62,194	68,413	75,255	82,780	91,058
		Suspension	Data N/A	0	0	0	0	0

5	Cefixime	Capsule	4,226	55,792	61,371	67,508	74,259	81,685
	(trihydrate)	suspension	Data N/A	0	0	0	0	0
6	Ceftriaxone (sodium)	powder for injection	601	7,938	8,731	9,604	10,565	11,621
7	Cefoperazone + Salbactum	injection	0	0	0	0	0	0
		tablet	25,417	335,500	369,050	405,955	446,551	491,206
8	Ciprofloxacin	syrup	Data N/A	0	0	0	0	0
		infusion	878	11,592	12,751	14,026	15,429	16,972

The associated summary outputs for Antibiotics/Antimicrobials Medicines are shown in Table 7. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

#### Forecasted Need for Anthelminthic Medicines

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains one drug under the category of Anthelminthic Medicines, as shown in table below;

#	Generic Drug Name	Form	Strength	Category
1	Makandanah	syrup	100mg / 5ml	Anthelminthic Medicines
1	Mebendazole	tablets	500 mg (with caution only for adults)	Anthelminthic Medicines

Anthelminthic Medicines are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Anthelminthic Medicines for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

## District Store Data Needed to Forecast Anthelminthic Medicines

- Opening balance or quantity on 1st July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Anthelminthic Medicines is based on Monthly Consumption.

To calculate the Average Monthly Consumption (AMC), following formula is used;

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC	=	Opening Balance	+	Quantity Received	-	Closing Balance	÷	Six Month Period
-----	---	--------------------	---	----------------------	---	-----------------	---	------------------------

Using the above methodology and formula, the estimated yearly requirements of Anthelminthic Medicines is calculated and reflected in table below:

Table 8. Forecasted Yearly Estimations

#	Generic Drug Name	Unit		Forecasted Yearly Requirements					
			AMC	2020-21	2021-22	2022-23	2023-24	2024-25	
1	1 Mebendazole	syrup	387	5,104	5,614	6,176	6,793	7,473	
1		tablets	2,084	27,502	30,252	33,278	36,605	40,266	

The associated summary outputs for Anthelminthic Medicines are shown in Table 8. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

# Forecasted Need for Anti-Fungal Medicines

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains three drugs under the category of Anti-Fungal Medicines, as shown in table below;

#	Generic Drug Name	Form	Strength	Category
1	Clotrimazole	vaginal cream	10% w/v	Anti-Fungal
1	1 Clotrimazole	vaginal tablet	500 mg	Anti-Fungal
2	Fluconazole	capsule	150mg	Anti-Fungal
3	Nystatin	drops	100,000 IU/ml	Anti-Fungal

Anti-Fungal Medicines are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Anti-Fungal Medicines for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

## District Store Data Needed to Forecast Anti-Fungal Medicines

- Opening balance or quantity on 1st July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Anti-Fungal Medicines is based on Monthly Consumption.

To calculate the Average Monthly Consumption (AMC), following formula is used;

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC	=	Opening Balance	+	Quantity Received	-	Closing Balance	÷	Six Month Period
-----	---	--------------------	---	----------------------	---	-----------------	---	------------------------

Using the above methodology and formula, the estimated yearly requirements of Anti-Fungal Medicines is calculated and reflected in table below:

Table 9. Forecasted Yearly Estimations

	Generic Drug		1110	Forecasted Yearly Requirements				
#	Name	Unit	AMC	2020-21	2021-22	2022-23	2023-24	2024-25
1	Cl-+1-	vaginal cream	0	0	0	0	0	0
1	1 Clotrimazole	vaginal tablet	Data N/A	0	0	0	0	0
2	Fluconazole	capsule	1,835	24,222	26,644	29,309	32,239	35,463
3	Nystatin	drops	40	528	581	639	703	773

The associated summary outputs for Anti-Fungal Medicines are shown in Table 9. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

## Forecasted Need for Anti-Tuberculosis Medicines - First line medicines

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains eight drugs under the category of Anti-Tuberculosis Medicines - First line medicines, as shown in the table below;

#	Generic Drug Name	Form	Strength	Category
1	Ethambutol	tablets	100 mg	Anti-Tuberculosis Medicines - First line medicines
1	Ethanibutoi	tablets	400 mg	Anti-Tuberculosis Medicines - First line medicines
2	Isoniazid	tablets	100 mg	Anti-Tuberculosis Medicines - First line medicines
	Isomazid	tablets	300mg	Anti-Tuberculosis Medicines - First line medicines
3	Streptomycin	injection	1 gm	Anti-Tuberculosis Medicines - First line medicines
4	Differencial Licensiquid (DII)	tablets	150mg + 75mg	Anti-Tuberculosis Medicines - First line medicines
4	Rifampicin + isoniazid (RH)	tablets dispersible	75mg + 50mg	Anti-Tuberculosis Medicines - First line medicines
5	Rifampicin + isoniazid + pyrazinamide + ethambutol (RHZE)	tablets	150mg + 75mg + 400mg + 275 mg	Anti-Tuberculosis Medicines - First line medicines
6	Rifampicin + isoniazid + ethambutol (RHE)	tablets	150 mg + 75 mg + 275 mg	Anti-Tuberculosis Medicines - First line medicines
7	Isoniazid + ethambutol	tablets	150 mg + 400 mg Strip/blister	Anti-Tuberculosis Medicines - First line medicines

Anti-Tuberculosis Medicines are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Anti-Tuberculosis Medicines - First line medicines for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

### District Store Data Needed to Forecast Anti-Tuberculosis Medicines - First line medicines

- Opening balance or quantity on 1st July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Anti-Tuberculosis Medicines - First line medicines is based on Monthly Consumption.

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and

- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC	=	Opening Balance	+	Quantity Received	-	Closing Balance	÷	Six Month Period	
-----	---	--------------------	---	----------------------	---	-----------------	---	------------------------	--

Using the above methodology and formula, the estimated yearly requirements of Anti-Tuberculosis Medicines - First line medicines is calculated and reflected in table below:

Table 10. Forecasted Yearly Estimations

	Generic Drug				Forecasted	Yearly Req	uirements	
#	Name	Unit	AMC	2020-21	2021-22	2022-23	2023-24	2024-25
1	Ethambutol	tablets	1,467	19,360	21,296	23,426	25,768	28,345
	Etnambutoi	tablets	250	3,300	3,630	3,993	4,392	4,832
2	Isoniazid	tablets	Data N/A	0	0	0	0	0
	100mazia	tablets	83	1,100	1,210	1,331	1,464	1,611
3	Streptomycin	injection	5	66	73	80	88	97
	Rifampicin +	tablets	26,563	350,627	385,690	424,259	466,685	513,353
4	isoniazid (RH)	tablets dispersible	11,223	148,148	162,963	179,259	197,185	216,903
5	Rifampicin + isoniazid + pyrazinamide + ethambutol (RHZE)	tablets	12,877	169,981	186,979	205,677	226,244	248,869
6	Rifampicin + isoniazid + ethambutol (RHE)	tablets	1,839	24,270	26,697	29,367	32,304	35,534
7	Isoniazid + ethambutol	tablets	Data N/A	0	0	0	0	0

The associated summary outputs for Anti-Tuberculosis Medicines are shown in Table 10. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

#### Forecasted Need for Anti-Leishmaniasis Medicines

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains one drug under the category of Anti-Leishmaniasis Medicines, as shown in table below;

#	Generic Drug Name	Form	Strength	Category
1	Meglumine antimonite, and sodium stibogluconate	injection	333 mg	Anti-Leishmaniasis Medicines

Anti-Leishmaniasis Medicines are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Anti-Leishmaniasis Medicines for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

#### District Store Data Needed to Forecast Anti-Leishmaniasis Medicines

- Opening balance or quantity on 1st July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Anti-Leishmaniasis Medicines is based on Monthly Consumption.

To calculate the Average Monthly Consumption (AMC), following formula is used;

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC =		Opening Balance	+	Quantity Received	ı	Closing Balance	÷	Six Month Period	
-------	--	--------------------	---	----------------------	---	-----------------	---	------------------------	--

Using the above methodology and formula, the estimated yearly requirements of Anti-Leishmaniasis Medicines is calculated and reflected in table below:

Table 11. Forecasted Yearly Estimations

#	Generic Drug Name	Unit	AMC	Forecasted Yearly Requirements

				2020-21	2021-22	2022-23	2023-24	2024-25
1	Meglumine antimonite, and sodium stibogluconate	injection	2	22	24	27	29	32

The associated summary outputs for Anti-Leishmaniasis Medicines are shown in Table 11. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

### Forecasted Need for Anti-Diabetic Medicines

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains four drugs under the category of Anti-Diabetic Medicines, as shown in the table below;

#	Generic Drug Name	Form	Strength	Category
1	Glimepiride	tablets	3mg	Anti-Diabetic Medicines
2	Sitagliptin + metformin	tablets	50 / 500mg	Anti-Diabetic Medicines
3	Insulin Regular	Injection	100 IU / ml	Anti-Diabetic Medicines
4	Insulin Comp.	Injection	30 + 70 %  w/v	Anti-Diabetic Medicines
5	Metformin (hydrochloride)	tablets	500 mg	Anti-Diabetic Medicines

Anti-Diabetic Medicines are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Anti-Diabetic Medicines for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

## District Store Data Needed to Forecast Anti-Diabetic Medicines

- Opening balance or quantity on 1st July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Anti-Diabetic Medicines is based on Monthly Consumption.

To calculate the Average Monthly Consumption (AMC), following formula is used;

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC =	=	Opening Balance	+	Quantity Received	-	Closing Balance	÷	Six Month Period
-------	---	--------------------	---	----------------------	---	-----------------	---	------------------------

Using the above methodology and formula, the estimated yearly requirements of Anti-Diabetic Medicines is calculated and reflected in table below:

Table 12. Forecasted Yearly Estimations

.,	Generic Drug		1250	F	orecasted	Yearly Red	quirement	S
#	Name	Unit	AMC	2020-21	2021-22	2022-23	2023-24	2024-25
1	Glimepiride	tablets	5,017	66,220	72,842	80,126	88,139	96,953
2	Sitagliptin + metformin	tablets	16,667	220,000	242,000	266,200	292,820	322,102
3	Insulin Regular	Injection 100 IU / ml	8.3	110	121	133	146	161
4	Insulin Comp.	Injection 30 + 70 % w/v	7.5	99	109	120	132	145
5	Metformin (hydrochloride)	tablets	77	1,012	1,113	1,225	1,347	1,482

The associated summary outputs for Anti-Diabetic Medicines are shown in Table 12. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

#### Forecasted Need for Anti-Malarial Medicines

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains five drugs under the category of Anti-Malarial Medicines, as shown in the table below;

#	Generic Drug Name	Form	Strength	Category		
1	Artesunate (management of severe malaria)	ampoule	60 mg/ml in 1-ml	Anti-Malarial Medicines		
2	Chloroquine (phosphate or sulphate)	Syrup: tablet	50mg/5ml: 150mg	Anti-Malarial Medicines		
3	Artemether + Lumefantrine	tablet	80mg + 480mg	Anti-Malarial Medicines		
4	Drive a swine (die haardhata) (Fan Izinan)	tablets	7.5 mg	Anti-Malarial Medicines		
4	Primaquine (diphosphate) (For Vivax)	tablets	15 mg	Anti-Malarial Medicines		
5	Quinine	injection	300 mg	Anti-Malarial Medicines		

Anti-Malarial Medicines are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Anti-Malarial Medicines for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

### District Store Data Needed to Forecast Anti-Malarial Medicines

- Opening balance or quantity on 1st July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31<sup>st</sup> December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Anti-Malarial Medicines is based on Monthly Consumption.

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC	=	Opening Balance	+	Quantity Received	-	Closing Balance	÷	Six Month Period	
-----	---	--------------------	---	----------------------	---	-----------------	---	------------------------	--

Using the above methodology and formula, the estimated yearly requirements of Anti-Malarial Medicines is calculated and reflected in table below:

Table 13. Forecasted Yearly Estimations

				F	orecasted	Yearly Re	quiremen	ts
#	Generic Drug Name	Unit	AMC	2020-21	2021-22	2022-23	2023-24	2024-25
1	Artesunate (management of severe malaria)	ampoule	0.3	4	5	5	6	6
2	Chloroquine (phosphate or sulphate)	Syrup: <b>tablet</b> 50mg/5ml: <b>150mg</b>	5,571	73,537	80,891	88,980	97,878	107,666
3	Artemether + Lumefantrine	tablet	34	447	491	540	594	654
4	Primaquine (diphosphate)	Tablet 7.5 mg	17,979	237,325	261,058	287,163	315,880	347,468
4	(For Vivax)	Tablet 15 mg	Data N/A	0	0	0	0	0
5	Quinine	tablet	171	2,262	2,488	2,737	3,010	3,311

The associated summary outputs for Anti-Malarial Medicines are shown in Table 13. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

# Forecasted Need for Medicines Acting on Gastrointestinal Tract

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains nine drugs under the category of Medicines Acting on Gastrointestinal Tract, as shown in the table below;

#	Generic Drug Name	Form	Strength	Category
1	Aluminium hydroxide + magnesium trisilicate	tablets	250mg +500mg	Medicines Acting on Gastrointestinal Tract
2	Dimenhydrenate	injection	40mg	Medicines Acting on Gastrointestinal Tract
۷	Dimennydrenate	suspension	12.5mg/4ml: 60ml	Medicines Acting on Gastrointestinal Tract
3	Drotaverine	tablets	40 mg	Medicines Acting on Gastrointestinal Tract
4	Metoclopramide	injection	10mg	Medicines Acting on Gastrointestinal Tract
5	Omenrevole	tablets	20mg	Medicines Acting on Gastrointestinal Tract
3	Omeprazole	injection	40mg	Medicines Acting on Gastrointestinal Tract
6	ORS (low osmolarity) Recommended in combination with Zinc Sulphate 20 mg dispersible tablet in case of acute diarrhea	sachet	dry mixture (low osmolarity formula) in sachet for 1 liter of solution each sachet contains glucose anhydrous 13.5gm B.P. trisodium citrate dihydrate 2.9 gm B.P potassium chloride1.5gm B.P., sodium chloride 2.6 gm B.P.	Medicines Acting on Gastrointestinal Tract
7	Ranitidine	injection	25 mg / ml in 2ml	Medicines Acting on Gastrointestinal Tract
8	Glycerine	suppository		Medicines Acting on Gastrointestinal Tract
9	Enema	Small and larger		Medicines Acting on Gastrointestinal Tract

Medicines Acting on Gastrointestinal Tract are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Medicines Acting on Gastrointestinal Tract for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

## District Store Data Needed to Forecast Medicines Acting on Gastrointestinal Tract

- Opening balance or quantity on 1<sup>st</sup> July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Medicines Acting on Gastrointestinal Tract is based on Monthly Consumption.

To calculate the Average Monthly Consumption (AMC), following formula is used;

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC	=	Opening Balance	+	Quantity Received	-	Closing Balance	÷	Six Month Period	
-----	---	--------------------	---	----------------------	---	-----------------	---	------------------------	--

Using the above methodology and formula, the estimated yearly requirements of Medicines Acting on Gastrointestinal Tract is calculated and reflected in table below:

Table 14. Forecasted Yearly Estimations

			AMC		Forecaste	d Yearly Re	equirement	S
#	Generic Drug Name	Unit	AMC	2020-21	2021-22	2022-23	2023-24	2024-25
1	Aluminium hydroxide + magnesium trisilicate	tablets	2,850	37,620	41,382	45,520	50,072	55,079
2	D: 1 1	injection	Data N/A	0	0	0	0	0
2	Dimenhydrenate	suspension	68	902	992	1,091	1,201	1,321
3	Drotaverine	tablets	13,873	183,128	201,441	221,585	243,743	268,118
4	Metoclopramide	injection	7,667	101,200	111,320	122,452	134,697	148,167
5	Omeprazole	tablets	52,939	698,790	768,669	845,536	930,090	1,023,099
3		Injection	40	528	581	639	703	773
6	ORS (low osmolarity) Recommended in combination with Zinc Sulphate 20 mg dispersible tablet in case of acute diarrhea	sachet	6,728	88,814	97,695	107,465	118,211	130,033
7	Ranitidine	injection	Data N/A	0	0	0	0	0
8	Glycerine	suppository	Data N/A	0	0	0	0	0
9	Enema	Small and larger	87	1,144	1,258	1,384	1,523	1,675

The associated summary outputs for Medicines Acting on Gastrointestinal Tract are shown in Table 14. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

## Forecasted Need for Antiviral Medicines

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains single drug under the category of Antiviral Medicines, as shown in the table below;

#	Generic Drug Name	Form	Strength	Category
1	1 Acyclovir	tablets	400mg	Antiviral Medicines
1		injection	250mg	Antiviral Medicines

Antiviral Medicines are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Antiviral Medicines for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

#### District Store Data Needed to Antiviral Medicines

- Opening balance or quantity on 1st July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Antiviral Medicines is based on Monthly Consumption.

To calculate the Average Monthly Consumption (AMC), following formula is used;

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC	=	Opening Balance	+	Quantity Received	-	Closing Balance	÷	Six Month Period
-----	---	--------------------	---	----------------------	---	-----------------	---	------------------------

Using the above methodology and formula, the estimated yearly requirements of Antiviral Medicines is calculated and reflected in table below:

Table 15. Forecasted Yearly Estimations

#	Generic Drug Name	Unit	AMC	Forecasted Yearly Requirements
---	-------------------	------	-----	--------------------------------

				2020-21	2021-22	2022-23	2023- 24	2024-25
1 Acyclovie	tablets	Data N/A	0	0	0	0	0	
1	1 Acyclovi <del>r</del>	injection	Data N/A	0	0	0	0	0

The associated summary outputs for Antiviral Medicines are shown in Table 15. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

#### Forecasted Need for Cardiovascular Medicines

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains eleven drugs under the category of Cardiovascular Medicines, as shown in the table below;

#	Generic Drug Name	Form	Strength	Category
1	Amlodipine (besylate)	tablets	5 mg	Cardiovascular Medicines
2	Bisoprolol	tablets	5 mg	Cardiovascular Medicines
3	Dobutamine (hydrochloride)	injection	200mg	Cardiovascular Medicines
4	Glyceryl trinitrate hydralazine (hydrochloride)	sublingual	500 mcg	Cardiovascular Medicines
5	Isosorbide dinitrate	tablets	10mg	Cardiovascular Medicines
6	Valsartan + Hydrochlorthiaxide	tablets	80mg + 12.5 mg	Cardiovascular Medicines
7	Propranolol	tablets	10mg	Cardiovascular Medicines
8	Amiodarone	injection	200 mg	Cardiovascular Medicines
9	Streptokinase	powder for injection	1.5 million IU	Cardiovascular Medicines
10	Rosuvastatin	tablets	10mg, 20mg,	Cardiovascular Medicines
11	Methyldopa	tablets	5 mg	Cardiovascular Medicines

Cardiovascular Medicines are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Cardiovascular Medicines for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

#### District Store Data Needed to Cardiovascular Medicines

- Opening balance or quantity on 1<sup>st</sup> July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Cardiovascular Medicines is based on Monthly Consumption.

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC	=	Opening Balance	+	Quantity Received	-	Closing Balance	÷	Six Month Period	
-----	---	--------------------	---	----------------------	---	-----------------	---	---------------------	--

Using the above methodology and formula, the estimated yearly requirements of Cardiovascular Medicines is calculated and reflected in table below:

Table 16. Forecasted Yearly Estimations

	Generic Drug	<b>*</b> T •.	1750	Forecasted Yearly Requirements						
#	Name	Unit	AMC	2020-21	2021-22	2022-23	2023-24	2024-25		
1	Amlodipine (besylate)	tablets	26,117	344,740	379,214	417,135	458,849	504,734		
2	Bisoprolol	tablets	14,850	196,020	215,622	237,184	260,903	286,993		
3	Dobutamine (hydrochloride)	injection	33	440	484	532	586	644		
4	Glyceryl trinitrate hydralazine (hydrochloride)	sublingual	Data N/A	0	0	0	0	0		
5	Isosorbide dinitrate	Injection /tablets	37	484	532	586	644	709		
6	Valsartan + Hydrochlorthiaxide	tablets	Data N/A	0	0	0	0	0		
7	Propranolol	tablets	Data N/A	0	0	0	0	0		
8	Amiodarone	injection	10	132	145	160	176	193		
9	Streptokinase	powder for injection	02	22	24	27	29	32		
10	Rosuvastatin	tablets	Data N/A	0	0	0	0	0		
11	Methyldopa	tablets	Data N/A	0	0	0	0	0		

The associated summary outputs for Cardiovascular Medicines are shown in Table 16. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

#### Forecasted Need for Diuretic Medicines

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains two drugs under the category of Diuretic Medicines, as shown in the table below;

#	Generic Drug Name	Form	Strength	Category
1	Furosemide	injection	10 mg	Diuretic Medicines
2	Furosemide + spironolactone	tablet	40mg+100mg	Diuretic Medicines

Diuretic Medicines are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Diuretic Medicines for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

#### District Store Data Needed to Diuretic Medicines

- Opening balance or quantity on 1st July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Diuretic Medicines is based on Monthly Consumption.

To calculate the Average Monthly Consumption (AMC), following formula is used;

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC	=	Opening Balance	+	Quantity Received	-	Closing Balance	÷	Six Month Period
-----	---	--------------------	---	----------------------	---	-----------------	---	---------------------

Using the above methodology and formula, the estimated yearly requirements of Diuretic Medicines is calculated and reflected in table below:

Table 17. Forecasted Yearly Estimations

Tive Tive Torceasted Tearly Requirements	#		Unit	AMC	Forecasted Yearly Requirements
--	---	--	------	-----	--------------------------------

	Generic Drug Name			2020-21	2021-22	2022-23	2023-24	2024-25
1	Furosemide	injection	Data N/A	0	0	0	0	0
2	Furosemide + spironolactone	tablet	Data N/A	0	0	0	0	0

The associated summary outputs for Diuretic Medicines are shown in Table 17. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

# Forecasted Need for Medicines Affecting Coagulation

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains three drugs under the category of Medicines affecting Coagulation, as shown in the table below;

#	Generic Drug Name	Form	Strength	Category	
1	Heparin	injection	5000i.u	Medicines affecting Coagulation	
2	, Enoxaparin	injection	40 mg	Medicines affecting Coagulation	
2	(low molecular weight heparin)	injection	60mg	Medicines affecting Coagulation	
2	Tranexamic acid	injection	100 mg/ml in 5-ml	Medicines affecting Coagulation	
3	Tranexamic acid	capsule	250 mg	Medicines affecting Coagulation	

Medicines affecting Coagulation are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Medicines affecting Coagulation for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

## District Store Data Needed to Medicines Affecting Coagulation

- Opening balance or quantity on 1st July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Medicines affecting Coagulation is based on Monthly Consumption.

To calculate the Average Monthly Consumption (AMC), following formula is used;

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC	=	Opening Balance	+	Quantity Received	-	Closing Balance	÷	Six Month Period
-----	---	--------------------	---	----------------------	---	-----------------	---	---------------------

Using the above methodology and formula, the estimated yearly requirements of Medicines affecting Coagulation is calculated and reflected in table below:

## Table 18. Forecasted Yearly Estimations

	Generic Drug		1250	Forecasted Yearly Requirements					
#	Name	Unit	AMC	2020-21	2021-22	2022-23	2023-24	2024-25	
1	Heparin	injection	0	0	0	0	0	0	
	Enoxaparin (low molecular weight heparin)	injection	Data N/A	0	0	0	0	0	
2		injection	Data N/A	0	0	0	0	0	
2	2 7	injection	7	88	97	106	117	129	
3	Tranexamic acid	capsule	4,017	53,020	58,322	64,154	70,570	77,627	

The associated summary outputs for Medicines affecting Coagulation are shown in Table 18. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

# Forecasted Need for Oxytocic & Antioxytocic Medicines

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains one single drug under the category of Oxytocic & Antioxytocic Medicines, as shown in the table below;

#	Generic Drug Name	Form	Strength	Category
1	Oxytocin	injection	10 IU in 1-ml	Oxytocic & Antioxytocic Medicines

Oxytocic & Antioxytocic Medicines are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Oxytocic & Antioxytocic Medicines for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

## District Store Data Needed to Oxytocic & Antioxytocic Medicines

- Opening balance or quantity on 1st July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Oxytocic & Antioxytocic Medicines is based on Monthly Consumption.

To calculate the Average Monthly Consumption (AMC), following formula is used;

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

	AMC	II	Opening Balance	+	Quantity Received	-	Closing Balance	÷	Six Month Period
--	-----	----	--------------------	---	----------------------	---	-----------------	---	------------------

Using the above methodology and formula, the estimated yearly requirements of Oxytocic & Antioxytocic Medicines is calculated and reflected in table below:

Table 19. Forecasted Yearly Estimations

#	Generic Drug Name			Forecasted Yearly Requirements					
		Unit	AMC	2020-21	2021-22	2022-23	2023-24	2024-25	
1	Oxytocin	injection	167	2,200	2,420	2,662	2,928	3,221	

The associated summary outputs for Oxytocic & Antioxytocic Medicines are shown in Table 19. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

# Forecasted Need for Medicines Acting on Respiratory Tract

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains four drugs under the category of Medicines Acting on Respiratory Tract, as shown in the table below;

#	Generic Drug Name	Form	Strength	Category
1	Acefyline	syrup		Medicines Acting on Respiratory Tract
2	Beclomethasone	Inhaler	50 mcg/actu; 800mcg/2ml	Medicines Acting on Respiratory Tract
2	Salbutamol (sulphate)	Inhaler	100 micrograms	Medicines Acting on Respiratory Tract
3	3 / albuterol	solution for nebulizer	5 mg/ml	Medicines Acting on Respiratory Tract
4	Prednisolone	Tablet	5mg	Medicines Acting on Respiratory Tract

Medicines Acting on Respiratory Tract are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Medicines Acting on Respiratory Tract for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

## District Store Data Needed to Medicines Acting on Respiratory Tract

- Opening balance or quantity on 1<sup>st</sup> July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Medicines Acting on Respiratory Tract is based on Monthly Consumption.

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC		Opening		Quantity				Six Month
	=	Balance	+	Received	-	Closing Balance	÷	Period

Using the above methodology and formula, the estimated yearly requirements of Medicines Acting on Respiratory Tract is calculated and reflected in table below:

Table 20. Forecasted Yearly Estimations

	Generic Drug		1350	F	orecasted	Yearly Re	quiremen	ts
#	Name	Unit	AMC	2020-21	2021-22	2022-23	2023-24	2024-25
1	Acefyline	syrup	Data N/A	0	0	0	0	0
2	Beclomethasone	inhaler	50	660	726	799	878	966
2	Salbutamol (sulphate) / albuterol	inhaler	80	1,052	1,157	1,272	1,400	1,540
3		solution for nebulizer	95	1,254	1,379	1,517	1,669	1,836
4	Prednisolone	tablet	678	8,954	9,849	10,834	11,918	13,110

The associated summary outputs for Medicines Acting on Respiratory Tract are shown in Table 20. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

# Forecasted Need for Ophthalmic Medicines

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains six drugs under the category of Ophthalmic Medicines, as shown in the table below;

#	Generic Drug Name	Form	Strength	Category
1	Chloramphenicol	eye drops	1%	Ophthalmic Medicines
2	Pilocarpine (hydrochloride or nitrate)	eye drops	2%	Ophthalmic Medicines
3	Acyclovir	Eye ointment	3 % w/w 4.5gm	Ophthalmic Medicines
4	Neomycin + bacitracin	Eye ointment	5 mg + 500 IU	Ophthalmic Medicines
5	Tobramycin + dexamethasone	eye drops	0.3% + 0.1%  w/v	Ophthalmic Medicines
6	Timolol (hydrogen maleate)	eye drops	0.25 %; 0.5 %	Ophthalmic Medicines

Ophthalmic Medicines are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Ophthalmic Medicines for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

# District Store Data Needed to Ophthalmic Medicines

- Opening balance or quantity on 1st July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Ophthalmic Medicines is based on Monthly Consumption.

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC		Opening		Quantity		Closing Balance		Six Month
	=	Balance	+	Received	-		÷	Period

Using the above methodology and formula, the estimated yearly requirements of Ophthalmic Medicines is calculated and reflected in table below:

Table 21. Forecasted Yearly Estimations

					Forecasted	Yearly Re	quirement	s
#	Generic Drug Name	Unit	AMC	2020-21	2021-22	2022-23	2023-24	2024-25
1	Chloramphenicol	eye drops	Data N/A	0	0	0	0	0
2	Pilocarpine (hydrochloride or nitrate)	eye drops	33	440	484	532	586	644
3	Acyclovir	Eye ointment	92	1,210	1,331	1,464	1,611	1,772
4	Neomycin + bacitracin	Eye ointment	Data N/A	0	0	0	0	0
5	Tobramycin + dexamethasone	eye drops	167	2,200	2,420	2,662	2,928	3,221
6	Timolol (hydrogen maleate)	eye drops	50	660	726	799	878	966

The associated summary outputs for Ophthalmic Medicines are shown in Table 21. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

## Forecasted Need of Medicines for Ear, Nose & Throat

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains four drugs under the category of Medicines for Ear, Nose & Throat, as shown in the table below;

#	Generic Drug Name	Form	Strength	Category
1	Betamethasone + neomycin	drops	0.1%; 7.5ml	Medicines for Ear, Nose & Throat
2	Boroglycerine (only for wax removing)	ear drops	40%	Medicines for Ear, Nose & Throat
3	Polymyxin B sulphate + lignocaine	ear drops	each ml contains polymyxin B (sulphate) 10000 IU/ml, lignocaine:50mg/ml; 5ml	Medicines for Ear, Nose & Throat
4	Xylometazoline	nasal spray	0.05%	Medicines for Ear, Nose & Throat

Medicines for Ear, Nose & Throat are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Medicines for Ear, Nose & Throat for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

## District Store Data Needed to Medicines for Ear, Nose & Throat

- Opening balance or quantity on 1st July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Medicines for Ear, Nose & Throat is based on Monthly Consumption.

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC	Ш	Opening Balance	+	Quantity Received	-	Closing Balance	÷	Six Month Period
-----	---	--------------------	---	----------------------	---	-----------------	---	------------------

Using the above methodology and formula, the estimated yearly requirements of Medicines for Ear, Nose & Throat is calculated and reflected in table below:

Table 22. Forecasted Yearly Estimations

	Generic Drug		AMC	Forecasted Yearly Requirements					
#	Name	Unit		2020-21	2021-22	2022-23	2023-24	2024-25	
1	Betamethasone + neomycin	ear drops	Data N/A	0	0	0	0	0	
2	Boroglycerine (only for wax removing)	ear drops	Data N/A	0	0	0	0	0	
3	Polymyxin B sulphate + lignocaine	ear drops	Data N/A	0	0	0	0	0	
4	Xylometazoline	nasal spray /drops	Data N/A	0	0	0	0	0	

The associated summary outputs for Medicines for Ear, Nose & Throat are shown in Table 22. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

## Forecasted Need for I/V Infusions / Plasma Substitutes

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains nine drugs under the category of I/V Infusions / Plasma Substitutes, as shown in the table below;

#	Generic Drug Name	Form	Strength	Category		
		infusion	5 % + 0.9 % w/v;	I/V Infusions / Plasma Substitutes		
1	Dextrose + saline	infusion	5% +0.45%	I/V Infusions / Plasma Substitutes		
		infusion	4.5%+0.18% (i/5th)	I/V Infusions / Plasma Substitutes		
2	Glucose / dextrose	infusion	25% 20ml	I/V Infusions / Plasma Substitutes		
3	Calina	infusion	0.9% 100ml	I/V Infusions / Plasma Substitutes		
3	Saline	infusion	0.9% 500ml	I/V Infusions / Plasma Substitutes		
4	Mannitol	infusion	20 % w/v	I/V Infusions / Plasma Substitutes		
5	Potassium chloride	solution	11.2 % in 20-ml ampoule	I/V Infusions / Plasma Substitutes		
6	Ringer Lactate + dextrose	infusion	500ml	I/V Infusions / Plasma Substitutes		
7	Sodium bicarbonate	injection	7.5 % isotonic	I/V Infusions / Plasma Substitutes		
8	Water for injection	ampoule	5 ml, 10 ml	I/V Infusions / Plasma Substitutes		
9	Haemaccel	solution	3%, 5%	I/V Infusions / Plasma Substitutes		

I/V Infusions / Plasma Substitutes are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of I/V Infusions / Plasma Substitutes for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

## District Store Data Needed to I/V Infusions / Plasma Substitutes

- Opening balance or quantity on 1st July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of I/V Infusions / Plasma Substitutes is based on Monthly Consumption.

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and

- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC	=	Opening Balance	+	Quantity Received	-	Closing Balance	÷	Six Month Period
-----	---	--------------------	---	----------------------	---	-----------------	---	------------------

Using the above methodology and formula, the estimated yearly requirements of I/V Infusions / Plasma Substitutes is calculated and reflected in table below:

Table 23. Forecasted Yearly Estimations

	Generic Drug	**	AMC	Forecasted Yearly Requirements					
#	Name	Unit		2020-21	2021-22	2022-23	2023-24	2024-25	
		infusion	607	8,008	8,809	9,690	10,659	11,725	
1	Dextrose + saline	infusion	Data N/A	0	0	0	0	0	
		infusion	Data N/A	0	0	0	0	0	
2	Glucose / dextrose	infusion	Data N/A	0	0	0	0	0	
3	Calina	infusion	Data N/A	0	0	0	0	0	
3	Saline	infusion	940	12,408	13,649	15,014	16,515	18,167	
4	Mannitol	infusion	Data N/A	0	0	0	0	0	
5	Potassium chloride	Solution	Data N/A	0	0	0	0	0	
6	Ringer Lactate + dextrose	infusion	1,465	19,342	21,277	23,404	25,745	28,319	
7	Sodium bicarbonate	injection	Data N/A	0	0	0	0	0	
8	Water for injection	ampoule	Data N/A	0	0	0	0	0	
9	Haemaccel	Solution	3	44	48	53	59	64	

The associated summary outputs for I/V Infusions / Plasma Substitutes are shown in Table 23. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

#### Forecasted Need for Vitamins & Minerals

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains five drugs under the category of Vitamins & Minerals, as shown in the table below;

#	Generic Drug Name	Form	Strength	Category
1	B complex (B1, B6 and B12)	Syrup	DRAP approved	Vitamins & Minerals
		Syrup	equivalent to 25 mg/ml iron	Vitamins & Minerals
2	Ferrous salt (fumarate)	Tablet		Vitamins & Minerals
3	Folic acid	Tablets	5mg	Vitamins & Minerals
4	Pyridoxine (vitamin B6)	Tablets	50mg	Vitamins & Minerals
E	Zinc sulphate (for acute diarrhea with ORS)	dispersible tablets	20 mg	Vitamins & Minerals
5		Syrup	20mg / 5ml; 60ml	Vitamins & Minerals

Vitamins & Minerals are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Vitamins & Minerals for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

#### District Store Data Needed to Vitamins & Minerals

- Opening balance or quantity on 1st July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Vitamins & Minerals is based on Monthly Consumption.

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period

vi) rounded off the AMC to the nearest value

AMC	=	Opening Balance	+	Quantity Received	-	Closing Balance	÷	Six Month Period
-----	---	--------------------	---	----------------------	---	-----------------	---	------------------

Using the above methodology and formula, the estimated yearly requirements of Vitamins & Minerals is calculated and reflected in table below:

Table 24. Forecasted Yearly Estimations

	Generic Drug		13.50		Forecasted	l Yearly Re	equirement	ts
#	Name	Unit	AMC	2020-21	2021-22	2022-23	2023-24	2024-25
1	B complex (B1, B6 and B12)	syrup	Data N/A	0	0	0	0	0
2	Ferrous salt	syrup	1,066	14,071	15,478	17,026	18,729	20,602
2	(fumarate)	tablet	Data N/A	0	0	0	0	0
3	Folic acid	tablets	Data N/A	0	0	0	0	0
4	Pyridoxine (vitamin B6)	tablets	Data N/A	0	0	0	0	0
5	Zinc sulphate (for acute diarrhea with	dispersible tablets	Data N/A	0	0	0	0	0
3	ORS)	syrup	Data N/A	0	0	0	0	0

The associated summary outputs for Vitamins & Minerals are shown in Table 24. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

## Forecasted Need for Anxiolytics

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains two drugs under the category of Anxiolytics, as shown in the table below;

#	Generic Drug Name	Form	Strength	Category
1	Paroxetine	tablet	20 mg	Anxiolytics
2	Diazanam	tablets	5mg	Anxiolytics
2	Diazepam	injection	10mg/ml in 2 ml ampoule	Anxiolytics

Anxiolytics are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Anxiolytics for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

### District Store Data Needed to Anxiolytics

- Opening balance or quantity on 1st July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Anxiolytics is based on Monthly Consumption.

To calculate the Average Monthly Consumption (AMC), following formula is used;

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC	=	Opening Balance	+	Quantity Received	-	Closing Balance	÷	Six Month Period
-----	---	--------------------	---	----------------------	---	-----------------	---	------------------

Using the above methodology and formula, the estimated yearly requirements of Anxiolytics is calculated and reflected in table below:

Table 25. Forecasted Yearly Estimations

	Generic Drug		AMC	Forecasted Yearly Requirements						
#	Name	Unit		2020-21	2021-22	2022-23	2023-24	2024-25		
1	Paroxetine	tablet	Data N/A	0	0	0	0	0		
2	Diegenem	tablets	Data N/A	0	0	0	0	0		
2	Diazepam	injection	237	3,124	3,436	3,780	4,158	4,574		

The associated summary outputs for Anxiolytics are shown in Table 25. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

## Forecasted Need for Dermatological Medicines

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains five drugs under the category of Dermatological Medicines, as shown in the table below;

#	Generic Drug Name	Form	Strength	Category
1	Betamethasone + gentamicin	ointment	15gm	Dermatological Medicines
2	Clotrimazole	cream	1.00%	Dermatological Medicines
3	Permethrin	lotion	5%	Dermatological Medicines
4	Polymyxin B (sulphate)+ bacitracin zinc	ointment	10000 IU/g + 500 IU/g	Dermatological Medicines
5	Silver sulphadiazine	cream	1% in 50gm	Dermatological Medicines

Dermatological Medicines are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Dermatological Medicines for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

### District Store Data Needed to Dermatological Medicines

- Opening balance or quantity on 1st July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Dermatological Medicines is based on Monthly Consumption.

To calculate the Average Monthly Consumption (AMC), following formula is used;

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC = Opening Balance + Rec	'i
-----------------------------	----

Using the above methodology and formula, the estimated yearly requirements of Dermatological Medicines is calculated and reflected in table below:

Table 26. Forecasted Yearly Estimations

	Generic Drug		AMC	Forecasted Yearly Requirements					
#	Name	Unit	AMC	2020-21	2021-22	2022-23	2023-24	2024-25	
1	Betamethasone + gentamicin	ointment	0	0	0	0	0	0	
2	Clotrimazole	cream	Data N/A	0	0	0	0	0	
3	Permethrin	lotion	0	0	0	0	0	0	
4	Polymyxin B (sulphate)+ bacitracin zinc	ointment	247	3,256	3,582	3,940	4,334	4,767	
5	Silver sulphadiazine	cream	Data N/A	0	0	0	0	0	

The associated summary outputs for Dermatological Medicines are shown in Table 26. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

### Forecasted Need for Medicines for Mental & Behavioral Disorders

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains single drug under the category of Medicines for Mental & Behavioral Disorders, as shown in the table below;

#	Generic Drug Name	Form	Strength	Category
1	Amitriptyline (hydrochloride)	tablets	25 mg	Medicines for Mental & Behavioral Disorders

Medicines for Mental & Behavioral Disorders are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Medicines for Mental & Behavioral Disorders for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

#### District Store Data Needed to Medicines for Mental & Behavioral Disorders

- Opening balance or quantity on 1<sup>st</sup> July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Medicines for Mental & Behavioral Disorders is based on Monthly Consumption.

To calculate the Average Monthly Consumption (AMC), following formula is used;

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC	=	Opening Balance	+	Quantity Received	-	Closing Balance	÷	Six Month Period
-----	---	--------------------	---	----------------------	---	-----------------	---	------------------

Using the above methodology and formula, the estimated yearly requirements of Medicines for Mental & Behavioral Disorders is calculated and reflected in table below:

Table 27. Forecasted Yearly Estimations

	Generic Drug			Forecasted Yearly Requirements					
#	Name	Unit	AMC	2020-21	2021-22	2022-23	2023-24	2024-25	
1	Amitriptyline (hydrochloride)	tablets	Data N/A	0	0	0	0	0	

The associated summary outputs for Medicines for Mental & Behavioral Disorders are shown in Table 27. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

## Forecasted Need for Contraceptives

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains two drugs under the category of Contraceptives, as shown in the table below;

#	Generic Drug Name	Form Strength		Category	
1	DMPA (medroxyprogesterone acetate)	injection	150 mg/ 1ml	Contraceptives	
2	Ethinyloestradiol + norethisterone	CO pills	35 mcg + 1mg	Contraceptives	

Contraceptives are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Contraceptives for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

## District Store Data Needed to Contraceptives

- Opening balance or quantity on 1st July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Contraceptives is based on Monthly Consumption.

To calculate the Average Monthly Consumption (AMC), following formula is used;

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC	=	Opening Balance	+	Quantity Received	-	Closing Balance	÷	Six Month Period
-----	---	--------------------	---	----------------------	---	-----------------	---	------------------

Using the above methodology and formula, the estimated yearly requirements of Contraceptives is calculated and reflected in table below:

Table 28. Forecasted Yearly Estimations

				Forecasted Yearly Requirements						
#	Generic Drug Name	Unit	AMC	2020-21	2021-22	2022-23	2023-24	2024-25		
1	DMPA (medroxyprogesterone acetate)	injection	Data N/A	0	0	0	0	0		
2	Ethinyloestradiol + norethisterone	CO pills	4,560	60,192	66,211	72,832	80,116	88,127		

The associated summary outputs for Contraceptives are shown in Table 28. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

#### Forecasted Need for Vaccines & Sera

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains five drugs under the category of Vaccines & Sera, as shown in the table below;

#	Generic Drug Name	Form	Strength	Category
1	Anti-rabies vaccine (PVRV)	single dose vial	>2.5 IU	Vaccines & Sera
2	Anti-snake venom serum			Vaccines & Sera
3	Rabies immunoglobulin (human)	injection	150 IU/ml	Vaccines & Sera
4	Tetanus toxoid	injection		Vaccines & Sera
5	Anti-D (Rho) immunoglobulin	injection		Vaccines & Sera

Vaccines & Sera are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Vaccines & Sera for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

#### District Store Data Needed to Vaccines & Sera

- Opening balance or quantity on 1st July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Vaccines & Sera is based on Monthly Consumption.

To calculate the Average Monthly Consumption (AMC), following formula is used;

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC	=	Opening Balance	+	Quantity Received	_	Closing Balance	÷	Six Month Period
-----	---	--------------------	---	----------------------	---	-----------------	---	------------------

Using the above methodology and formula, the estimated yearly requirements of Vaccines & Sera is calculated and reflected in table below:

Table 29. Forecasted Yearly Estimations

#	Generic Drug Name	Unit	AMC	I	orecasted	Yearly Re	quiremen	ts
#	Generic Drug Name	Omt	AWIC	2020-21	2021-22	2022-23	2023-24	2024-25
1	Anti-rabies vaccine (PVRV)	single dose vial	201	2,655	2,921	3,213	3,534	3,888
2	Anti-snake venom serum		22	295	324	357	392	432
3	Rabies immunoglobulin (human)	injection	Data N/A	0	0	0	0	0
4	Tetanus toxoid	injection	1,608	21,230	23,353	25,688	28,257	31,083
5	Anti-D (Rho) immunoglobulin	injection	21	273	300	330	363	399

The associated summary outputs for Vaccines & Sera are shown in Table 29. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

## Forecasted Need for Antiseptics / Disinfectants

The District Priority Formulary of Medicines is derived from Khyber Pakhtunkhwa's Essential Medicines List (EML), MCC formulary and Minimum Health Services Delivery Package (MHSDP) for Primary and Secondary Health Care facilities. The formulary contains three drugs under the category of Antiseptics / Disinfectants, as shown in the table below;

#	Generic Drug Name	Form	Strength	Category
1	Chlorhexidine digluconate (7.1%)	gel	equivalent to 4 % chlorhexidine	Antiseptics / Disinfectants
2	Hydrogen peroxide	solution	6 % v/v	Antiseptics / Disinfectants
3	Povidone-iodine	solution	10 % w/v 60ml	Antiseptics / Disinfectants
3	rovidone-iodine	scrub	7.5 % w/v, 450ml	Antiseptics / Disinfectants

Antiseptics / Disinfectants are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units.

The following input data is used to estimate the yearly requirements of Antiseptics / Disinfectants for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

## District Store Data Needed to Antiseptics / Disinfectants

- Opening balance or quantity on 1<sup>st</sup> July 2019
- Quantity Received during the period July to December, 2019
- Closing balance or quantity on 31st December, 2019
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of requirement of Antiseptics / Disinfectants is based on Monthly Consumption.

To calculate the Average Monthly Consumption (AMC), following formula is used;

- i) add the quantity of drugs in stock at the beginning of a period (for example, six months)
- ii) to the quantity of drugs received during that same period, and
- iii) then subtract the quantity of drugs remaining at the end of the period.
- iv) it will give total quantity of drugs consumed over a six-month period
- v) calculate Average Monthly Consumption by dividing the total quantity by the six-month period
- vi) rounded off the AMC to the nearest value

AMC	Ш	Opening Balance	+	Quantity Received	-	Closing Balance	÷	Six Month Period

Using the above methodology and formula, the estimated yearly requirements of Antiseptics / Disinfectants

is calculated and reflected in table below:

Table 30. Forecasted Yearly Estimations

#	Canada Dava Nama	Unit	AMC	F	orecasted	Yearly Re	quirement	ts
#	Generic Drug Name	Unit	AWIC	2020-21	2021-22	2022-23	2023-24	2024-25
1	Chlorhexidine digluconate (7.1%)	gel	Data N/A	0	0	0	0	0
2	Hydrogen peroxide	solution	Data N/A	0	0	0	0	0
2	Povidone-iodine	solution	264	3,487	3,836	4,219	4,641	5,105
3	rovidone-iodine	scrub	26	343	378	415	457	502

The associated summary outputs for Antiseptics / Disinfectants are shown in Table 30. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

### **SECTION-II**

### FORECAST RESULT FOR MEDICINES WITH MISSING DATA

This section contains forecast results for those medicines (see Annex -II) whose logistics data was not available at district level due to one of the following possible reasons;

- Medicines were not procured by District Heath Authority
- Not in demand from health care providers
- No consumption during the specified six-month period
- Classified as Local Purchase item
- Not in approved list of district procurement committee etc.

These medicines are generally meant for both secondary and primary level health care facilities including DHQ, THQ hospitals, Rural Health Centres and Basic Health Units. The list of these medicines and forecast results will be shared in consultative meeting and district health authorities will decide the way forward. If the DHA decides to include the medicine in the district priority medicines list of the district, the forecast estimation and cost of that particular medicine will be incorporated into the overall costed forecast of the district.

The following input data is used to estimate the yearly requirements of the medicines for the forecasting period 2020-2025. The forecast will provide the base for procurement and distribution of medicines to the primary and secondary health care facilities in the district.

### **DHIS Data Needed to Forecast Missing Data Medicines**

- Average number of yearly cases / episodes of the health problem / priority disease.
- Standard or average treatment regimen for a case / episode of the health problem / priority disease.
- Expected projected changes in consumption (potential losses or scale-up in use)

The methodology used for calculation of total requirement of these medicines is based on the average number of cases / episodes of the priority disease and the standard or the average treatment regimen for a case /episode. The average number for the year 2020-21 is calculated based on the average of cases / episodes reported in District Health Information System (DHIS) during the year 2019.

The formula used for the calculation of total estimated requirements is as follows:

Total Requirement of Medicine	=	Yearly average number of cases / episodes of priority disease reported by primary & secondary healthcare facilities of DoH	X	Average dose of drug per case / episode
-------------------------------	---	--	---	---

Using the above methodology and formula, the estimated yearly requirements of missing data medicines is calculated and reflected in the table below:

Table 32: Forecasted Yearly Estimations for Missing Data Medicines

	Medicine			]	Forecasted	l Yearly Re	equirement	S
#	Category	Generic Drug Name	Unit	2020-21	2021-22	2022-23	2023-24	2024-25
1	Analgesics / Non-Steroidal	Tramadol	Injection 50 mg / ml	15,505	17,056	18,762	20,638	22,701
2	Anti- Inflammatory	Paracetamol	suppository 100 mg	3,847	4,231	4,654	5,120	5,632
3	Medicines	Paracetamol	Infusion 10mg/ml	6,411	7,052	7,757	8,533	9,386
3	Antiallergics and Medicines	Dexamethasone (disodium phosphate)	injection	9,941	10,935	12,029	13,232	14,555
4	used in Anaphylaxis	Epinephrine (adrenaline)	ampoule	2,982	3,281	3,609	3,969	4,366
5	Antidotes and Other	Charcoal activated	powder	79	87	96	106	116
6	Substances used in Poisoning	Naloxone (hydrochloride)	ampoule	89	98	108	119	131
7	Anticonvulsant	Carbamazepine	Syrup	1,188	1,306	1,437	1,581	1,739
8	/ Antiepileptic Medicines	Magnesium Sulphate	injection	1,452	1,597	1,756	1,932	2,125
9		Azithromycin	Suspension	3,309	3,640	4,004	4,404	4,844
10	Antibiotics / Antimicrobials	Cefixime (trihydrate)	Suspension	1,324	1,456	1,601	1,762	1,938
11	Medicines	Cefoperazone + Salbactum	injection	3,971	4,368	4,804	5,285	5,813
12		Ciprofloxacin	Syrup	1,654	1,820	2,002	2,202	2,422
13	Anti-Fungal	Clotrimazole	vaginal cream	601	661	727	800	880
14	Medicines	Clotrimazole	vaginal tablet	1,202	1,323	1,455	1,600	1,760
15	Anti- Tuberculosis	Isoniazid	100 mg tablet	21,114	23,225	25,548	28,102	30,913
16	Medicines	Isoniazid + ethambutol	tablet	10,557	11,613	12,774	14,051	15,456
17	Anti-Malarial Medicines	Primaquine (diphosphate)	15 mg tablet	12,932	14,225	15,648	17,213	18,934
18	Medicines	Dimenhydrenate	Injection	1,148	1,263	1,390	1,528	1,681
19	Acting on Gastro	Ranitidine	injection	1,723	1,895	2,084	2,293	2,522
20	intestinal Tract	Glycerine	suppository	2,297	2,526	2,779	3,057	3,363
21	Antiviral Medicines	Acyclovir	tablets	1,170	1,287	1,416	1,557	1,713
22	Antiviral Medicines	Acyclovir	injection	390	429	472	519	571

23	Cardiovascular Medicines	Glyceryl trinitrate	sublingual	4,193	4,613	5,074	5,581	6,140
24	Cardiovascular Medicines	Valsartan + Hydrochlorthiaxide	tablets	56,611	62,272	68,500	75,350	82,884
25	Cardiovascular Medicines	Propranolol	tablets	76,530	84,183	92,601	101,861	112,048
26	Cardiovascular Medicines	Rosuvastatin	tablets	37,741	41,515	45,666	50,233	55,256
27	Cardiovascular Medicines	Methyldopa	tablets	75,482	83,030	91,333	100,466	110,513
28	Diuretic Medicines	Furosemide	injection	102,138	112,351	123,587	135,945	149,540
29	Diuretic Medicines	Furosemide + spironolactone	tablet	34,046	37,450	41,196	45,315	49,847
30	. A. C. 1' '	Heparin	injection	164	181	199	219	240
31	Medicines affecting	Enoxaparin	40 mg Injection	82	90	99	109	120
32	Coagulation	Enoxaparin	60mg injection	123	135	149	164	180
33	Medicines Acting on Respiratory Tract	Acefyline	syrup	865	952	1,047	1,151	1,267
34	Ophthalmic Medicines	Chloramphenicol	eye drops	332	366	402	442	487
35	Ophthalmic Medicines	Neomycin + bacitracin	Eye ointment	499	548	603	664	730
36	Medicines for Ear, Nose & Throat	Betamethasone + neomycin	ear drops	2,346	2,581	2,839	3,122	3,435
37	Medicines for Ear, Nose & Throat	Boroglycerine (only for wax removing)	ear drops	3,519	3,871	4,258	4,684	5,152
38	Medicines for Ear, Nose & Throat	Polymyxin B sulphate + lignocaine	ear drops	1,173	1,290	1,419	1,561	1,717
39	Medicines for Ear, Nose & Throat	Xylometazoline	nasal spray /drops	3,519	3,871	4,258	4,684	5,152
40	I/V Infusions / Plasma Substitutes	Dextrose + saline	infusion	827	910	1,001	1,101	1,211
41	I/V Infusions / Plasma Substitutes	Dextrose + saline	infusion	724	796	876	963	1,059
42	I/V Infusions / Plasma Substitutes	Glucose / dextrose	infusion	1,034	1,137	1,251	1,376	1,513
43	I/V Infusions / Plasma Substitutes	Saline	infusion	1,034	1,137	1,251	1,376	1,513

			1	1	ı			
44	I/V Infusions / Plasma Substitutes	Mannitol	infusion	2,067	2,274	2,502	2,752	3,027
45	I/V Infusions / Plasma Substitutes	Potassium chloride	Solution	1,034	1,137	1,251	1,376	1,513
46	I/V Infusions / Plasma Substitutes	Sodium bicarbonate	injection	1,034	1,137	1,251	1,376	1,513
47	I/V Infusions / Plasma Substitutes	Water for injection	ampoule	1,551	1,706	1,876	2,064	2,270
48	Vitamins & Minerals	B complex (B1, B6 and B12)	syrup	5,198	5,718	6,289	6,918	7,610
49	Vitamins & Minerals	Ferrous salt (fumarate)	syrup	7,797	8,576	9,434	10,377	11,415
50	Vitamins & Minerals	Folic acid	tablets	654,922	720,414	792,455	871,701	958,871
51	Vitamins & Minerals	Pyridoxine (vitamin B6)	tablets	311,868	343,054	377,360	415,096	456,605
52	Vitamins & Minerals	Zinc sulphate (for acute diarrhea with ORS)	dispersible tablets	519,779	571,757	628,933	691,826	761,009
53	Vitamins & Minerals	Zinc sulphate (for acute diarrhea with ORS)	syrup	51,978	57,176	62,893	69,183	76,101
54	Anxiolytics	Paroxetine	Tablet	3,563	3,919	4,311	4,742	5,217
55	Anxiolytics	Diazepam	Tablet	4,157	4,572	5,030	5,533	6,086
56	Dermatological Medicines	Betamethasone + gentamicin	ointment	751	827	909	1,000	1,100
57	Dermatological Medicines	Clotrimazole	cream	902	992	1,091	1,200	1,320
58	Dermatological Medicines	Permethrin	lotion	451	496	546	600	660
59	Dermatological Medicines	Polymyxin B (sulphate)+ bacitracin zinc	ointment	1,202	1,323	1,455	1,600	1,760
60	Dermatological Medicines	Silver sulphadiazine	cream	1,052	1,157	1,273	1,400	1,540
61	Medicines for Mental & Behavioral Disorders	Amitriptyline (hydrochloride)	tablets	14,076	15,483	17,032	18,735	20,608
62	Contraceptives	DMPA (medroxyprogesterone acetate)	injection	32,525	35,777	39,355	43,291	47,620
63	Vaccines & Sera	Rabies immunoglobulin	injection	992	1,091	1,201	1,321	1,453

64	Antiseptics / Disinfectants	Chlorhexidine digluconate (7.1%)	gel	5,168	5,685	6,254	6,879	7,567
65	Antiseptics / Disinfectants	Hydrogen peroxide	solution	1,034	1,137	1,251	1,376	1,513

The associated summary outputs for these are shown in Table 32. By applying the different attributes and assumptions, the year-wise forecasted numbers for the period 2020-25 are estimated against each drug that needs to be procured for primary and secondary health care facilities of the district.

## Overall Funding Estimates for District Priority Medicines (2020-25)

Based on the results of the forecasted requirement of Priority Medicines for the primary and secondary health facilities of the district, financing needs have been estimated, as shown in the following tables and figures. The estimates are based on limited data available for the forecasting exercise and are shown by different commodity category. Estimation of required quantities and funding for medicines categories with no or hardly any data was not under taken, hence not reflected in this section.

Figure 4 below, shows the overall financing requirement for the priority commodities for the Department of Health, District Charsadda. The total five-year requirement is estimated as PKR. 257,842,849. It includes funding requirement for TB drugs, although the district is supplied with TB medicines by the National TB Control Program through the Provincial TB Control Program. Of this requirement, ~ 17 percent is for the Antibiotics / Antimicrobials medicines category, 12 percent for Anti-Tuberculosis medicines and ~ 12.5 percent for medicines acting on Gastrointestinal tract.




Figure 3: Overall Financing Requirement of Key District Priority Medicines Categories for Department of Health, Charsadda.

# Year-wise Funding Requirement for Different Key Categories of District Priority Medicines

Table 31 shows the year wise financing requirement for the Department of Health, Charsadda. It reflects the year wise financing requirement for different key medicine categories and diseases / health conditions. Of this year wise requirement, Antibiotics, Anti-TB drugs, Vaccines & Sera, Anti-Malarial Medicines and Gastrointestinal medicines categories have the maximum contribution over the years.

	Yearly Funding Requirement for Key Medicine Categories (PKR)								
S. No	Medicine Category	2020-21	2021-22	2022-23	2023-24	2024-25	Total		
1	Antibiotics/Antimicro bials	7,233,628	7,956,991	8,752,690	9,627,959	10,590,755	44,162,023		
2	Anti-Tuberculosis Medicines	5,075,710	5,583,281	6,141,609	6,755,770	7,431,347	30,987,718		
3	Medicines Acting on Gastrointestinal Tract	5,287,384	5,816,123	6,397,735	7,037,509	7,741,259	32,280,010		
4	Vaccines & Sera	3,135,187	3,448,706	3,793,576	4,172,934	4,590,227	19,140,630		
5	Anti-Malarial Medicines	2,438,607	2,682,468	2,950,714	3,245,786	3,570,364	14,887,939		
6	Antiseptics / Disinfectants	1,380,487	1,518,535	1,670,389	1,837,428	2,021,171	8,428,010		
7	Medicines Acting on Respiratory Tract	1,609,425	1,770,367	1,947,404	2,142,144	2,356,358	9,825,698		
8	I/V Infusions / Plasma Substitutes	1,277,899	1,405,689	1,546,258	1,700,884	1,870,973	7,801,704		
9	Anaesthetics	755,190	830,710	913,780	1,005,159	1,105,674	4,610,513		
10	Cardiovascular Medicines	1,575,369	1,732,906	1,906,197	2,096,817	2,306,498	9,617,788		
11	Analgesics / Non- Steroidal Anti- Inflammatory Medicines	2,061,796	2,267,975	2,494,773	2,744,250	3,018,675	12,587,468		
12	Muscle Relaxants	1,370,600	1,507,660	1,658,426	1,824,269	2,006,695	8,367,650		
13	Anti-Diabetic Medicines	2,026,735	2,229,409	2,452,350	2,697,585	2,967,343	12,373,423		

Table 31: Year-wise Financing Requirement for Different Key Medicines Categories

# Year-wise Funding Requirement for Antibiotics / Antimicrobial Medicines for the Department of Health, Charsadda

Figure 5 shows the year wise financing requirement for Antibiotics / Antimicrobial category of priority medicines for the Department of Health, Charsadda. The accuracy of this year wise requirement, heavily depends over the reliability, completeness and quality of data quoted by the district store of the health department of Charsadda. Using more complete, accurate and reliable data, district health authorities can come up with more accurate estimation of quantities and funds requirements, through this quantification modeling exercise for priority medicines.




Figure 4: Year-wise Financing Requirement for Antibiotics / Antimicrobial Priority Commodities.

# Year-wise Funding Requirement for Anti-Tuberculosis Medicines for the Department of Health, Charsadda

Figure 6 shows the year wise financing requirement for Anti-Tuberculosis category of priority medicines for the Department of Health, Charsadda. The accuracy of this year wise requirement, heavily depends over the reliability, completeness and quality of data quoted by the district store of the health department of Charsadda. Using more complete, accurate and reliable data, district health authorities can come up with more accurate estimation of quantities and funds requirements, through this quantification modeling exercise for priority medicines.




Figure 5: Year-wise Financing Requirement for Anti-Tuberculosis Commodities.

# Year-wise Funding Requirement for Medicines Acting on Gastro-Intestinal Tract for the Department of Health, Charsadda

Figure 7 shows the year wise financing requirement for Medicines Acting on Gastro-Intestinal Tract category for the Department of Health, Charsadda. The accuracy of this year wise requirement, heavily depends over the reliability, completeness and quality of data quoted by the district store of the health department of Charsadda. Using more complete, accurate and reliable data, district health authorities can come up with more accurate estimation of quantities and funds requirements, through this quantification modeling exercise for priority medicines.




Figure 6: Year-wise Financing Requirement for Medicines Acting on Gastrointestinal Tract.

# Year-wise Funding Requirement for Vaccines and Sera for the Department of Health, Charsadda

Figure 8 shows the year wise financing requirement for Vaccines and Sera category for the Department of Health, Charsadda. The accuracy of this year wise requirement, heavily depends over the reliability, completeness and quality of data quoted by the district store of the health department of Charsadda. Using more complete, accurate and reliable data, district health authorities can come up with more accurate estimation of quantities and funds requirements, through this quantification modeling exercise for priority medicines.




Figure 7: Year-wise Financing Requirement for Vaccine & Sera.

# Year-wise Funding Requirement for Anti-Malarial Medicines for the Department of Health, Charsadda

Figure 9 shows the year wise financing requirement for Anti-Malarial Medicines category for the Department of Health, Charsadda. The accuracy of this year wise requirement, heavily depends over the reliability, completeness and quality of data quoted by the district store of the health department of Charsadda. Using more complete, accurate and reliable data, district health authorities can come up with more accurate estimation of quantities and funds requirements, through this quantification modeling exercise for priority medicines.




Figure 8: Year-wise Financing Requirement for Anti-Malarial Medicines.

## Adjust for Losses and Programmatic Changes

The proportion of patients likely to be treated with the priority medicines depends on service delivery policies, strategies and approaches of District Health Authority (DHA). For example, if the number of incidence or episodes of diarrhea is expected to change, these adjustments are made when estimating the number of episodes. For forecasting and budgetary purposes, we are adding a percentage for scale up and uncertainties in demand to avoid stock-outs. It is also important to stress that, in these forecasts, the primary and secondary health care facilities were considered, taking into account the existing strategies and priorities status (rate of scale up). When actual procurement of these commodities is being planned, DHA and DoH, KP will need to assess the status of implementation of formulary, and adjust the individual medicine requirement as per local requirement and relevance.

### **Forecast Limitations**

Producing accurate forecasts of these district priority commodities remains a challenge in Khyber Pakhtunkhwa because of unavailability of quality data including procurement, issuance / consumption and stock-on-hand data. Some of the other challenges or limitations faced in producing this forecast include the following:

- Obtaining information on the different treatment regimens was a challenge in carrying out the exercise since standardized provincial treatment protocols do not currently exist for most of the conditions.
- The lack of a coordinated/unified provincial rate contracting and district level procurement and supply system within DoH for specific district priority commodities still remains a challenge. For example, different districts have different requirements and preferences for priority drugs.
- Information on the number of days of stock-outs of products at the district and sub-district levels is not available.
- Information on the minimum and maximum stock levels at different levels of supply chain and buffer stock for different commodities is not available.
- Data for all priority medicines is not readily available thus, limiting the costing and estimation of required quantities for full range of priority medicines.
- The reliable or official unit cost for different commodities is not available for costing purposes.
- The accuracy of this exercise fully depends on the availability of updated records and data at district level.
- There is a need that each district health authority should take appropriate measures to ensure excellent record keeping and data visibility at district and sub-district level.
- Forecast is limited to medicines data availability and yearly funds requirement is also limited to these medicines.

### RECOMMENDATIONS

- Since there is no information and data on the actual consumption of Priority medicines, DoH, KP should develop a mechanism for collecting logistics data on a routine basis from the health facilities to enable expeditious determination of district requirements of Priority medicines.
- DoH should include these Priority commodities in their logistics reporting forms and take necessary steps to make the logistics data available in their existing MIS and ensure the ultimate availability of the necessary data in web-based Pakistan LMIS.
- The technical capacity of the District DoH staff for conceptualizing the forecasting methodology, assumptions data validation process, and for undertaking the overall forecasting and supply planning exercise, must be strengthened. Quantification can be institutionalized in District DoH by establishing a unit of relevant technical personnel across the entities that can sensitize and transfer skills to the lower levels.
- Coordination among the different service delivery stakeholders is essential before priority commodities are procured.
- District can consider disseminating the forecasting report to the drug manufacturers to inform them of the quantity of commodities needed for the whole year, so they too can plan accordingly.
- This forecasting exercise should be reviewed annually by the entities and adjusted to account for changes in the assumptions or data in accordance with strategic plans and new data.
- District Managers can use the forecasting algorithms for each commodity presented in this document for their local procurement planning using their own routine health information systems and data.
- Different level healthcare providers and managers should maintain an effective coordination mechanism during procurement planning, particularly for items procured at district level. This effort will minimize the over stocking and potential wastage of commodities.

#### **BIBLIOGRAPHY**

- 1. Provisional summary results of 6th population and housing census-2017, Pakistan Bureau of Statistics, Government of Pakistan. Retrieved from <a href="http://www.pbs.gov.pk/content/provisional-summary-results-6th-population-and-housing-census-2017-0">http://www.pbs.gov.pk/content/provisional-summary-results-6th-population-and-housing-census-2017-0</a>
- 2. Directorate General Health Services, 2016, District Health Information System Annual Report 2015. Retrieved from <a href="http://www.dhiskp.gov.pk/reports/annual-2015.pdf">http://www.dhiskp.gov.pk/reports/annual-2015.pdf</a>
- 3. Department of Health and Bureau of Statistics, Planning and Development Department Government of Khyber Pakhtunkhwa, 2017, Khyber Pakhtunkhwa Health Survey 2017. Retrieved from <a href="https://www.healthkp.gov.pk/wp-content/uploads/2017/12/KPHS2017">www.healthkp.gov.pk/wp-content/uploads/2017/12/KPHS2017</a> 30 Oct 2017.pdf
- 4. Ali TS, Ather F. (2013) Prevalence of perceived heavy postpartum hemorrhage and its associated factors among married mothers in squatter settlements of Karachi. Khyber Medical University 5(1): 3-8
- 5. <u>Asmat R.</u>, <u>Asmat F.</u>, <u>Asmat F.</u>, <u>Asmat S.</u>, and <u>Asmat N.</u>, 2017. Effectiveness of Per Rectal Misoprostol Versus Intramuscular Oxytocin for Prevention of Primary Postpartum Hemorrhage. Journal of the College of Physicians and Surgeons (1):13-17
- 6. Shaikh, S., Shaikh, N. B., Talpur, S. and Balouch, R. 2013. Postpartum hemorrhage: An Experience At Tertiary Care Hospital, Hyderabad. Medical Channel 19(1) 44-47
- 7. World Health Organization 2017. Updated WHO Recommendation on Tranexamic Acid for the Treatment of Postpartum Haemorrhage. Rerieved from <a href="http://apps.who.int/iris/bitstream/10665/259379/1/WHO-RHR-17.21-eng.pdf">http://apps.who.int/iris/bitstream/10665/259379/1/WHO-RHR-17.21-eng.pdf</a>
- 8. World Health Organization 2015, WHO Recommendations for Prevention and Treatment of Maternal Peripartum Infections. Retrieved from <a href="http://apps.who.int/iris/bitstream/10665/186171/1/9789241549363">http://apps.who.int/iris/bitstream/10665/186171/1/9789241549363</a> eng.pdf
- 9. World Health Organization WHO 2009. MODEL FORMULARY 2008
- 10. Sharafat, Z. Gillani, S., Sitwat and Bukhari, N. 2014. Treatment of Eclampsia By Magnesium Sulpate. Journal of Medical Sciences 22(2) 80-83.
- 11. Shaikh, F., Abbas, S., Balouch, I., Talpur, S., Yousfani, S., and Hashmat, F., 2016. Frequency And Outcome Of Eclampsia. Gomal Journal of Medical Sciences 14(4)
- 12. Abalos E, Cuesta C, Grosso AL, Chou D, and Say L. 2013 European journal of obstetrics, gynecology, and reproductive biology 170(1):1-7
- 13. World Health Organization 2010. WHO model formulary for children 2010.
- 14. Bonet M. et al. 2015, New WHO guidance on prevention and treatment of maternal peripartum infections. The Lancet Global Health, Volume 3, Issue 11, e667 e668.
- 15. Owais A, Tikmani S S, Sultana S, Zaman U, Ahmed I, Allana S and Zaidi A K M, 2010, Incidence of pneumonia, bacteremia, and invasive pneumococcal disease in Pakistani children. Tropical Medicine & International Health, 15:1029–1036
- 16. National Institute of Population Studies (NIPS) and ICF International. 2013, Pakistan Demographic and Health Survey 2012-13. Islamabad, Pakistan, and Calverton, Maryland, USA. Retrieved from <a href="http://www.nips.org.pk/abstract\_files/PDHS%20Final%20Report%20as%20of%20Jan%2022-2014.pdf">http://www.nips.org.pk/abstract\_files/PDHS%20Final%20Report%20as%20of%20Jan%2022-2014.pdf</a>
- 17. Every Preemie-SCALE. 2015, Updated 2017, Profile of preterm and low birth weight prevention and care, Pakistan. Retrieved from <a href="http://www.everypreemie.org/country-profiles/">http://www.everypreemie.org/country-profiles/</a>
- 18. Pakistan Bureau of Statistics. 2015, Percentage distribution of population by age, sex and area 2014-15. Retrieved from <a href="http://www.pbs.gov.pk/sites/default/files//Labour%20Force/publications/lfs2014">http://www.pbs.gov.pk/sites/default/files//Labour%20Force/publications/lfs2014</a> 15/t01-pak.pdf&usg=AOvVaw2PENfof5uBirhFaQFg fJ
- 19. Mahmud A, Jalil F, Karlberg J, Lindblad BS. 1993, Early child health in Lahore, Pakistan: VII. Diarrhea. Acta Pediatrica Supplement, 390:79-85.

- 20. Riaz et al. 2011, Frequency of maternal mortality and morbidity in pregnancy –induced hypertension. Journal of Ayub Medical College, Abbottabad, 23(4).
- 21. Perveen S. 2014, Frequency and impact of hypertensive disorders of pregnancy. Journal of Ayub Medical College, Abbottabad, 26(4).
- 22. United Nations. 2012. UN Commission on Life-Saving Commodities for Women and Children Commissioners' Report, UN plaza, NY
- 23. USAID | DELIVER PROJECT, Task Order 1. 2011. The Logistics Handbook: A Practical Guide for the Supply Chain Management of Health Commodities. Arlington, Va.: USAID | DELIVER PROJECT, Task Order 1.
- 24. World Health Organization, 1995, Estimating Drug Requirements A Practical Manual; Available at: http://apps.who.int/medicinedocs/en/d/Jh2931e/
- 25. World Health Organization. 1999. Care of the Umbilical Cord: A Review of the Evidence. World Health Organization, Reproductive Health, Maternal and Newborn Health/Safe Motherhood; Geneva, Switzerland, 1999. Available at: <a href="https://apps.who.int/rht/documents/MSM98-4/MSM-98-4.htm">https://apps.who.int/rht/documents/MSM98-4/MSM-98-4.htm</a>.
- 26. World Health Organization. 2007, Standards for Maternal and Neonatal Care, available at: http://www.who.int/reproductivehealth/publications/maternal\_perinatal\_health/a91272/en/
- 27. World Health Organization, 2011, Alternative Magnesium Sulfate Regimens for Women with Pre-Eclampsia and Eclampsia. Available at: http://apps.who.int/rhl/pregnancy\_childbirth/medical/hypertension/cd007388\_sonibl\_com/en/
- 28. Roome T, Khan S. Communicable infections in Pakistan: a battle to confront. J Dow Uni Health Sci 2014; 8(2): 41-42.
- 29. Prevalence of non-communicable diseases and their risk factors at a semi-urban community, Pakistan Sajida Naseem, Umme Kulsoom Khattak, Haider Ghazanfar, Awais Irfan; Pan Afr Med J. 2016; 23: 151. Published online 2016 Mar 31. doi: 10.11604/pamj.2016.23.151.8974.
- 30. 6. World Health Organization. Non-communicable diseases country profiles 2014. Pakistan. Geneva, Switzerland: World Health Organization; 2014. [Accessed on 1st February 2015] Available at: http://www.who.int/nmh/countries/pak\_en.pdf?ua=1.
- 31. 7. Degenhardt L, Whiteford HA, Ferrari AJ, Baxter AJ, Charlson FJ, Hall WD, et al. Global burden of disease attributable to illicit drug use and dependence: findings from the Global Burden of Disease Study 2010. Lancet. 2013 Nov 9;382(9904):1564-74.
- 32. Qidwai W. Clinical practice and increasing complexity: current status, challenges and opportunities. J Coll Physicians Surg Pak 2017; 27:2-3.
  33. Sultan F, Khan A. Infectious diseases in Pakistan: a clear and present danger. Lancet. 2013; 381:2138-
- 34. Wasay M, Zaidi S, Khan M, Jooma R. Non communicable diseases in Pakistan: burden, challenges and way forward for health care authorities. J Pak Med Assoc 2014; 64:1218-9.
- 35. Malik MA, Khan MM. Economic burden of mental illnesses in Pakistan. J Ment Health Policy Econ 2016; 19:155-66.
- 36. Ghani E, Nadeem M, Bano A, Irshad S, Zaidi GI, Khaleeq-uzZaman. Road traffic accidents as a major contributor to neurosurgical mortality in adults. J Coll Physicians Surg Pak 2003; 13:143-5.
- 37. http://www.druginfosys.com
- 38. https://sehat.com.pk/
- 39. https://dawaai.pk/
- 40. https://www.dra.gov.pk
- 41. https://medicalstore.com.pk.

# **ANNEX-I**

KHYBER PAKHTUNKHWA DISTRICT PRIORITY MEDICINES LIST (FORMULARY)

	KHYBER PAKHTUNKHWA DISTRICT PRIORITY MEDICINES LIST (FORMULARY)							
#	Generic Drug Name	#	Form	Strength	Category			
1	isoflurane	1	inhalation		Anaesthetics General			
2	propofol	2	injection	10 mg / ml in 20 ml	Anaesthetics General			
3	atracurium (besylate)	3	injection	30 mg/ml in 3ml; 5ml	Muscle Relaxants			
4	glycopyrrolate	4	injection	0.2mg /ml in 1ml (for anesthesia only)	Muscle Relaxants			
5	neostigmine (metilsulphate)	5	injection	2.5 mg in 1ml	Muscle Relaxants			
6	bupivacaine (hydrochloride)	6	injection	0.50%	Anaesthetics Local			
7	lianagaina (hyyduaghlanida)	7	injection	2% in 10ml	Anaesthetics Local			
/	lignocaine (hydrochloride)	8	topical gel	2% w/w	Anaesthetics Local			
8	tramadol	9	injection	50 mg / ml	Analgesics Opioid & Centrally Acting			
0	. 1 12 12 11	10	dispersible tablets	300 mg	Analgesics / Non-Steroidal Anti- Inflammatory Medicines			
9	acetylsalicylic acid	11	dispersible tablets	75mg	Analgesics / Non-Steroidal Anti- Inflammatory Medicines			
10	J1 - C ( J )	12	tablets	50 mg	Analgesics / Non-Steroidal Anti- Inflammatory Medicines			
10	diclofenac (sodium)	13	ampoule	75 mg in 3ml	Analgesics / Non-Steroidal Anti- Inflammatory Medicines			
		14	tablets	500 mg	Analgesics / Non-Steroidal Anti- Inflammatory Medicines			
11	paracetamol	15	syrup	120 mg / 5ml	Analgesics / Non-Steroidal Anti- Inflammatory Medicines			
11		16	suppository	100 mg	Analgesics / Non-Steroidal Anti- Inflammatory Medicines			
		17	Infusion	10mg/ml	Analgesics / Non-Steroidal Anti- Inflammatory Medicines			
12	chlorpheniramine (hydrogen maleate)	18	injection	22.7mg	Antiallergics and Medicines Used in Anaphylaxis			
13	dexamethasone (disodium phosphate)	19	injection	4 mg / ml	Antiallergics and Medicines Used in Anaphylaxis			
14	epinephrine (adrenaline)	20	ampoule	1 mg /ml	Antiallergics and Medicines Used in Anaphylaxis			
15	hydrocortisone (sodium	21	injection	100 mg	Antiallergics and Medicines Used in Anaphylaxis			
15	succinate)	22	injection	250 mg	Antiallergics and Medicines Used in Anaphylaxis			
16	atropine (sulphate)	23	ampoule	1 mg in 1ml	Antidotes and Other Substances Used in Poisoning			
17	charcoal activated	24	powder		Antidotes and Other Substances Used in Poisoning			
18	naloxone (hydrochloride)	25	ampoule	400 mcg in 1ml	Antidotes and Other Substances Used in Poisoning			
40	, .	26	tablets	200 mg	Anticonvulsant / Antiepileptic Medicines			
19	carbamazepine	27	syrup	100mg / 5ml	Anticonvulsant / Antiepileptic Medicines			
21	magnesium sulphate (For eclampsia only)	28	injection	500mg/ml, 10ml	Anticonvulsant / Antiepileptic Medicines			
21	amoxicillin + clavulanic	29	tablets	625 mg	Antibiotics/Antimicrobials - Key			

#	Generic Drug Name	#	Form	Strength	Category
	acid				Access Antibiotics
		20		125 mg amoxicillin + 312.5 mg	Antibiotics/Antimicrobials - Key
		30	syrup	clavulanic acid /5 ml	Access Antibiotics
					Antibiotics/Antimicrobials - Key
		31	injection	1.2 Gm	Access Antibiotics
					Antibiotics/Antimicrobials - Key
22	doxycycline	32	capsule	100 mg	Access Antibiotics
					Antibiotics/Antimicrobials - Key
		33	tablets	400 mg	Access Antibiotics
					Antibiotics/Antimicrobials - Key
23	metronidazole	34	Injection	500 mg in 100-ml	Access Antibiotics
					Antibiotics/Antimicrobials - Key
		35	syrup	200 mg / 5ml (benzoate)	Access Antibiotics
					Antibiotics/Antimicrobials - Watch
		36	capsule	250 mg	
24	azithromycin		-		Group Antibiotics
	,	37	suspension	125mg / 5ml in 22.5ml	Antibiotics/Antimicrobials - Watch
			1	0.	Group Antibiotics
		38	capsule	400 mg	Antibiotics/Antimicrobials - Watch
25	cefixime (trihydrate)		I		Group Antibiotics
	cerimine (erin) arace)	39	suspension	200mg /5ml	Antibiotics/Antimicrobials - Watch
		0,	•	200118 / 01111	Group Antibiotics
26	ceftriaxone (sodium)	40	powder for	500 mg, 1gm	Antibiotics/Antimicrobials - Watch
20	, ,	70	injection	500 mg, igm	Group Antibiotics
27	Cefoperazone +	41	injection	1gm	Antibiotics/Antimicrobials - Watch
21	Salbactum	41	mjection	igiii	Group Antibiotics
		42	tablet	250,000	Antibiotics/Antimicrobials - Watch
		42	tablet	250mg	Group Antibiotics
20	C: d :	43	syrup	100mg/5ml	Antibiotics/Antimicrobials - Watch
28	Ciprofloxacin				Group Antibiotics
		4.4		200 //00 1	Antibiotics/Antimicrobials - Watch
		44	infusion	200mg/100ml	Group Antibiotics
		45	syrup	100mg/5ml	Anthelminthic Medicines
29	mebendazole	46	tablets	500 mg (with caution only for adults)	Anthelminthic Medicines
		47	vaginal cream	10% w/v	Anti-Fungal Medicines
30	clotrimazole	48	vaginal tablet	500 mg	Anti-Fungal Medicines
31	fluconazole	49	capsule	150mg	Anti-Fungal Medicines
32	nystatin	50	drops	100,000 IU/ml	Anti-Fungal Medicines
32	nystatin	30	urops	100,000 107 1111	Anti-Tuberculosis Medicines - First
		51	tablets	100 mg	line medicines
33	ethambutol				Anti-Tuberculosis Medicines - First
		52	tablets	400 mg	
					line medicines
		53	tablets	100 mg	Anti-Tuberculosis Medicines - First
34	isoniazid				line medicines
		54	tablets	300mg	Anti-Tuberculosis Medicines - First
					line medicines
35	streptomycin	55	injection	1 gm	Anti-Tuberculosis Medicines - First
			,	- 8	line medicines
		56	tablets	150mg + 75mg	Anti-Tuberculosis Medicines - First
36	rifampicin + isoniazid	picin + isoniazid		1501116 1 751118	line medicines
30	(RH)	57	tablets	75mg + 50mg	Anti-Tuberculosis Medicines - First
		37	dispersible	/ July   Journ	line medicines
	rifampicin + isoniazid +				Anti-Tuberculosis Medicines - First
37	pyrazinamide +	58	tablets	150mg+75mg+400mg+275 mg	line medicines
	ethambutol RHZE)	<u></u>			
38	rifampicin + isoniazid +	59	tablets	150 mg + 75 mg + 275 mg	Anti-Tuberculosis Medicines - First
	•				

#	Generic Drug Name	#	Form	Strength	Category
	ethambutol (RHE)				line medicines
39	isoniazide + ethambutol	60	tablets	150 mg + 400 mg Strip/blister	Anti-Tuberculosis Medicines - First line medicines
40	Meglumine antimonite, and sodium stibogluconate	61	injection	333 mg	Anti-Leishmaniasis Medicines
41	glimepiride	62	tablets	2mg	Anti-Diabetic Medicines
42	sitagliptin + metformin	63	tablets	50/500mg	Anti-Diabetic Medicines
43	insulin regular	64	injection	100 IU / ml	Anti-Diabetic Medicines
44	insulin comp	65	injection	30 + 70 %  w/v	Anti-Diabetic Medicines
45	metformin (hydrochloride)	66	tablets	500 mg	Anti-Diabetic Medicines
46	artesunate (management of severe malaria)	67	ampoule	60 mg/ml in 1-ml;	Anti-Malarial Medicines
47	chloroquine (phosphate or sulphate)	68	syrup	50mg/5ml	Anti-Malarial Medicines
48	artesunate and lumafantrine	69	tablet	80mg + 480mg	Anti-Malarial Medicines
49	primaquine (diphosphate)	70	tablets	7.5 mg	Anti-Malarial Medicines
42	(For Vivax)	71	tablets	15 mg	Anti-Malarial Medicines
50	quinine	72	injection	300 mg	Anti-Malarial Medicines
51	aluminium hydroxide + magnesium trisilicate	73	tablets	250mg +500mg	Medicines Acting on Gastrointestinal Tract
52	dimenhydrenate	74	injection	40mg	Medicines Acting on Gastrointestinal Tract
32	differinydrenate	75	suspension	12.5mg/4ml: 60ml	Medicines Acting on Gastrointestinal Tract
53	drotaverine	76	tablets	40 mg	Medicines Acting on Gastrointestinal Tract
54	metoclopramide	77	injection	10mg	Medicines Acting on Gastrointestinal Tract
55	omenwayala	78	tablets	20mg	Medicines Acting on Gastrointestinal Tract
33	omeprazole	79	injection	40mg	Medicines Acting on Gastrointestinal Tract
56	ORS (low osmolarity) Recommended in combination with Zinc Sulphate 20 mg dispersible tablet in case of acute diarrhea	80	sachet	dry mixture (low osmolarity formula) in sachet for 1 liter of solution ,each sachet contains glucose anhydrous 13.5gm B.P. , trisodium citrate dihydrate 2.9 gm B.P , potassium chloride1.5gm B.P. , sodium chloride 2.6gm B.P.	Medicines Acting on Gastrointestinal Tract
57	ranitidine	81	injection	25 mg / ml in 2ml	Medicines Acting on Gastrointestinal Tract
58	glycerine	82	suppository		Medicines Acting on Gastrointestinal Tract
59	enema	83	Small and larger		Medicines Acting on Gastrointestinal Tract
60	acyclovir	84	tablets	400mg	Antiviral Medicines
	,	85	injection	250mg	Antiviral Medicines
61	amlodipine (besylate)	86	tablets	5 mg	Cardiovascular Medicines
62	bisoprolol	87	tablets	5 mg	Cardiovascular Medicines
63	dobutamine (hydrochloride)	88	injection	200mg	Cardiovascular Medicines

#	Generic Drug Name	#	Form	Strength	Category
	glyceryl trinitrate				
64	hydralazine	89	sublingual	500 mcg	Cardiovascular Medicines
	(hydrochloride)				
65	isosorbide dinitrate	90	tablets	10mg	Cardiovascular Medicines
66	Valsartan +	91	tablets	80mg + 12.5 mg	Cardiovascular Medicines
	Hydrochlorthiaxide			0 0	
67	propranolol	92	tablets	10mg	Cardiovascular Medicines
68	amiodarone	93	injection	200 mg	Cardiovascular Medicines
69	streptokinase	94	powder for injection	1.5 million IU	Cardiovascular Medicines
70	rosuvastatin	95	tablets	10mg, 20mg,	Cardiovascular Medicines
71	Methyldopa	96	tablets	250mg	Cardiovascular Medicines
72	furosemide	97	injection	10 mg	Diuretics
73	furosemide + spironolactone	98	tablet	40mg+100mg	Diuretics
74	heparin	99	injection	5000i.u	Medicines affecting Coagulation
75	enoxaparin (low	100	injection	40 mg	Medicines affecting Coagulation
13	molecular weight heparin)	101	injection	60mg	Medicines affecting Coagulation
76	tranexamic acid	102	injection	100 mg/ml in 5-ml	Medicines affecting Coagulation
70	tranexamic acid	103	capsule	250 mg	Medicines affecting Coagulation
77	oxytocin	104	injection	10 IU in 1-ml	Oxytocic & Antioxytocic Medicines
78	acefyline	105	syrup		Medicines Acting on Respiratory Tract
79	beclomethasone	106	inhaler	50 mcg/actu; 800mcg/2ml	Medicines Acting on Respiratory Tract
	salbutamol (sulphate) /	107	inhaler	100 micrograms	Medicines Acting on Respiratory Tract
80	albuterol	108	solution for nebulizer	5 mg/ml	Medicines Acting on Respiratory Tract
81	prednisolone	109	tablet	5mg	Medicines Acting on Respiratory Tract
82	chloramphenicol	110	eye drops	1%	Ophthalmic Medicines
83	pilocarpine (hydrochloride or nitrate)	111	eye drops	2%	Ophthalmic Medicines
84	acyclovir	112	Eye Oint	3 % w/w 4.5gm	Ophthalmic Medicines
85	neomycin + bacitracin	113	ointment	5 mg + 500 IU	Ophthalmic Medicines
86	tobramycin + dexamethasone	114	eye drops	0.3 % + 0.1% w/v	Ophthalmic Medicines
87	timolol (hydrogen maleate)	115	eye drops	0.25 %; 0.5 %	Ophthalmic Medicines
88	betamethasone + neomycin	116	drops	0.1%; 7.5ml	Medicines for Ear, Nose & Throat
89	boroglycerine (only for wax removing)	117	ear drops	40%	Medicines for Ear, Nose & Throat
90	polymyxin B sulphate + lignocaine	118	ear drops	each ml contains polymyxin B (sulphate) 10000 IU/ml, lignocaine:50mg/ml; 5ml	Medicines for Ear, Nose & Throat
91	xylometazoline	119	nasal spray	0.05%	Medicines for Ear, Nose & Throat
		120	infusion	5% + 0.9%  w/v;	I/V Infusions / Plasma Substitutes
92	dextrose + saline	121	infusion	5% +0.45%	I/V Infusions / Plasma Substitutes
		122	infusion	4.5%+0.18% (i/5th)	I/V Infusions / Plasma Substitutes
93	glucose / dextrose	123	infusion	25% 20ml	I/V Infusions / Plasma Substitutes
94	saline	124	infusion	0.9% 100ml	I/V Infusions / Plasma Substitutes
		125	infusion	0.9% 500ml	I/V Infusions / Plasma Substitutes
95	mannitol	126	infusion	20 % w/v	I/V Infusions / Plasma Substitutes
96	potassium chloride	127	solution	11.2 % in 20-ml ampoule	I/V Infusions / Plasma Substitutes
97	ringer Lactate + dextrose	128	infusion	500ml	I/V Infusions / Plasma Substitutes
98	sodium bicarbonate	129	injection	7.5 % isotonic	I/V Infusions / Plasma Substitutes

#	Generic Drug Name	#	Form	Strength	Category
99	water for injection	130	ampoule	5 ml, 10 ml	I/V Infusions / Plasma Substitutes
100	haemaccel	131	solution	3%, 5%	I/V Infusions / Plasma Substitutes
101	B complex (B1, B6 and B12)	132	syrup	DRAP approved	Vitamins & Minerals
102	ferrous salt (fumarate)	133	syrup	equivalent to 25 mg/ml iron	Vitamins & Minerals
-	` ,	134	tablet		
103	folic acid	135	tablets	5mg	Vitamins & Minerals
104	pyridoxine (vitamin B6)	136	tablets	50mg	Vitamins & Minerals
105	zinc sulphate (for acute diarrhea with ORS)	137	dispersible tablets	20 mg	Vitamins & Minerals
	,	138	syrup	20mg / 5ml; 60ml	Vitamins & Minerals
106	paroxetine	139	tablet	20 mg	Anxiolytics
107	diazepam	140	tablets	5mg	Anxiolytics
107	*	141	injection	10mg/ml in 2 ml ampoule	Anxiolytics
108	betamethasone + gentamicin	142	ointment	15gm	Dermatological Medicines
109	clotrimazole	143	cream	1.00%	Dermatological Medicines
110	permethrin	144	lotion	5%	Dermatological Medicines
111	polymyxin B (sulphate)+ bacitracin zinc	145	ointment	10000 IU/g + 500 IU/g	Dermatological Medicines
112	silver sulphadiazine	146	cream	1% in 50gm	Dermatological Medicines
113	amitriptyline (hydrochloride)	147	tablets	25 mg	Medicines for Mental & Behavioral Disorders
114	DMPA (medroxyprogesterone acetate)	148	injection	150 mg/ 1ml	Contraceptives
115	ethinyloestradiol + norethisterone	149	CO pills	35 mcg + 1mg	Contraceptives
116	anti-rabies vaccine (PVRV)	150	single dose vial	>2.5 IU	Vaccines & Sera
117	anti-snake venom serum	151			Vaccines & Sera
118	rabies immunoglobulin (human)	152	injection	150 IU/ml	Vaccines & Sera
119	tetanus toxoid	153	injection		Vaccines & Sera
120	antiD (Rho) immunoglobulin	154	injection		Vaccines & Sera
121	chlorhexidine digluconate (7.1%)	155	gel	equivalent to 4 % chlorhexidine	Antiseptics / Disinfectants
122	hydrogen peroxide	156	solution	6 % v/v	Antiseptics / Disinfectants
123	povidone-iodine	157	solution	10 % w/v 60ml	Antiseptics / Disinfectants
143	Povidone-iodine	158	scrub	7.5 % w/v, 450ml	Antiseptics / Disinfectants

# **ANNEX-II**

#### LIST OF DISTRICT PRIORITY MEDICINES WHOSE FORECAST COULD NOT BE UNDERTAKEN

	LIST OF DISTRICT PRIORITY MEDICINES WHOSE FORECAST COULD NOT BE UNDERTAKEN							
#	Generic Drug Name	Form / Strength	Category	Reason / Cause				
1	Tramadol	Injection 50 mg / ml	analgesics / non-steroidal anti-inflammatory medicines					
2	Dexamethasone (disodium phosphate)	Injection 4 mg / ml	Antiallergics and Medicines Used in					
3	Epinephrine (adrenaline)	Ampoule 1 mg/ml	Anaphylaxis					
4	Charcoal activated	powder	Antidotes and Other					
5	Naloxone (hydrochloride)	Ampoule 400 mcg in 1ml	Substances Used in Poisoning					
6	Magnesium Sulphate (For eclampsia only)	Injection 500mg /ml	Anticonvulsant / Antiepileptic Medicines	District heath				
7	Cefoperazone + Salbactum	Injection 1gm	Antibiotics/Antimicrobials	authority did not				
8	Clotrimazole	Vaginal cream / tablet	Anti-fungal	procured / no				
9	Isoniazid + ethambutol	Tablets 150+400 mg	Anti-TB Medicines	demand from health				
10	Ranitidine	injection	Medicines Acting on	care providers / No				
11	Glycerine	suppository	Gastrointestinal Tract	consumption during				
12	Acyclovir	Tablet / injection	Antiviral Medicine	six-month period / local purchase item / not approved by				
13	Glyceryl trinitrate hydralazine (hydrochloride)	Sublingual tablet		district procurement committee etc.				
14	Valsartan + Hydrochlorthiaxide	tablets	Cardiovascular Medicines					
15	Propranolol	tablets						
16	Rosuvastatin	tablets						
17	Methyldopa	tablets						
18	Furosemide	injection						
19	Furosemide + spironolactone	tablet	Diuretic Medicines					
20	Heparin	Injection	Medicines affecting Coagulation					
21	Chloramphenicol	eye drops	Ophthalmic Medicines					
22	Betamethasone + neomycin	ear drops						
23	Boroglycerine (only for wax removing)	ear drops						
24	Polymyxin B sulphate + lignocaine	ear drops	Medicines for Ear, Nose & Throat					
25	Xylometazoline	nasal spray /drops	THOAL					
26	Dextrose + saline	Infusion						
27	Glucose / dextrose	Infusion	I/V Infusions & Plasma					
28	Sodium bicarbonate	injection	Substitutes					
29	Water for injection	ampoule						
30	Folic acid	tablets	Vitamins & Minerals					
31	Pyridoxine (vitamin B6)	tablets						
32	Zinc sulphate (for acute diarrhea with ORS)	dispersible tablets / syrup	Vitamins & Minerals					

#	Generic Drug Name	Form / Strength	Category	Reason / Cause
33	B complex (B1, B6 and B12)	syrup		
34	Paroxetine	tablet	Anxiolytics	
35	Betamethasone + gentamicin	ointment		District heath
36	Clotrimazole	cream	Dermatological Medicines	authority did not
37	Permethrin	lotion		procured / no
38	Silver sulphadiazine	cream		demand from health
39	Amitriptyline (hydrochloride)	tablets	Medicines for Mental & Behavioral Disorders	care providers / No consumption during
40	DMPA (medroxyprogesterone acetate)	injection	Contraceptives	six-month period / local purchase item / not approved by
41	Chlorhexidine digluconate (7.1%)	gel		district procurement committee etc.
42	Hydrogen peroxide	solution	Antiseptics / Disinfectants	



## **USAID GLOBAL HEALTH SUPPLY CHAIN PROGRAM**

Procurement and Supply Management